

Manifold Valve

Issued : Dec. 15, 2000	Page : 16-2
Effective : Dec. 15, 2000	UNIT : 1000YEN

1. MANIFOLD VALVE (FOR STD, JTD, KDP, KFD)

1.1

MANIFOLD VALVE	Model No.	Process Connection
MVG1	JTD910A, 920A, 930A, 960A JTD210, 215, 220, 235, : Special type (Stems of stop valve are long type) JTD910, 915, 920, 930 KDP33, 44 KFDB □ -44 STD910, 920, 930, 960	Top or bottom connector
	KDP11,22 KFDB □ -11, 22, 33	Bottom
MVG1 + Extension Pipes	KDP11,22 KFDB □ -11, 22, 33	Top

1.2 HIGH STATIC PRESS. TYPE MANIFOLD VALVE

Model No. : NZ 16 ■ 7 ■ 0-X

Operation Pressure Upper Limit	Type	Material	Adequate transmitter Model	Bracket	Process Connec.	Model No.	Price 1000Yen
75MPa {750kgf/cm ² }	High Static Press. Type	SF45A	For KDP81, 82, STD921 STD931, STD961 and KFD ■ ■ ■ -81,	-	Rc 1/4	NZ16-17R0-X	179
					1/4NPT	NZ16-17N0-X	
		SUSF316			Rc 1/4	NZ16-27R0-X	375
					1/4NPT	NZ16-27N0-X	

1.3 REVERSE ATTACHMENT FOR KD

Operation Pressure Upper Limit	Material	Price	Available manifold valves	Parts No.
Reverse Attachmen	SF45A	0	MGV1	80025956-001
	SUSF316	0		

Manifold Valve

Issued : Dec. 15, 2000	Page : 1-6-3
Effective : Dec. 1, 2003	UNIT : 1000YEN

NZ16

SH8702-

The adapter with internal screw welds to process connection of high static pressure type of manifold valve.
Depending of the internal screw connection size, the item is changed as follows.

Item	Model	Process connection (Internal screw size)	Adapter material	Additional charge (1000 Yen)
001	NZ16Z-17R0-X	Rc1/2	SF45A	44
002	NZ16Z-17N0-X	1/2NPT	SF45A	44
003	NZ16Z-27R0-X	Rc1/2	SUSF316	44
004	NZ16Z-27N0-X	1/2NPT	SUSF316	44
005	NZ16Z-17R0-X	Rc1/4	SF45A	44
006	NZ16Z-17N0-X	1/4NPT	SF45A	44
007	NZ16Z-27R0-X	Rc1/4	SUSF316	44
008	NZ16Z-27N0-X	1/4NPT	SUSF316	44

