

YEU-05-736

			Unit price	Total
1	Complete Control Valve Model: HPS 1-1/2" Replacement for existing 419-8138-0700	1	ea €14 760,00	€14 760,00
2	<u>Plug & Stem Assembly and Seat-ring</u> <u>Consisting of 1 set</u>	2	set €87,00	€ 774,00
2-A	Stem P/N: 82509000-00500 Size: 10 x 195L Material: SUS316 Note 1: P/N has changed from 82509000-16650 to 82509000-00500.	1	ea €8,00	
2-B	Plug P/N: 82533058-10500 Size: CV4.0 %C Material: SUS316ST Note 2: P/N has changed from 82506002-16640 to 82533058-10500 Note 3: Plug and Stem shall be assembled together at the point of ex-factory.	1	ea €439,00	
2-C	Seat Ring P/N: 82508000-36640 Size: CV4.0/2.5, %C Material: SUS316ST	1	ea €60,00	€60,00
3	<u>Plug, Stem and Cage</u> <u>Consisting of 1 set</u>	1	set €2 538,00	€2 538,00
3-A	Plug P/N: 82506729-16800 Size: 4", VA3 Material: SCS24	1	ea €686,00	
3-B	Stem TOKUMI: V93-1105-00 P/N: Stem for 412.8001.0200 Size: Diameter=16 Material: SUS316	1	ea €185,00	
3-C	Cage P/N: 82508515-16800 Size: 4" x 3", %V Material: SCS24	1	ea €1 667,00	
4	<u>Plug, Stem and Cage</u> <u>Consisting of 1 set</u>	2	set €1 160,00	€2 320,00
4-A	Plug P/N: 82506711-16800 Size: 2", VA1 Material: SCS24	1	ea €51,00	
4-B	Stem P/N: 82509011-26650 Size: 10 x 365L VA1 Material: SUS316	1	ea €17,00	
4-C	Cage Size: 2" x 2" %V Material: SCS24	1	ea €92,00	
5	<u>Plug, Stem and Seat ring</u> <u>Consisting of 1 set</u>	2	set €487,00	€974,00
5-A	Plug P/N: 82506500-16600 Size: 1-1/2"x1-1/2" %C VA1 Material: SUS316	1	ea €73,00	
5-B	Stem P/N: 82509011-16650	1	ea €7,00	

	Size: 10 x 215L Material: SUS316				
5-C	Seat Ring P/N: 82508011-16600 Material: SUS316	1	ea	€17,00	
6	Pneumatic Pressure Transmitter Model: KKP14Z-2XA1-7 (Z: Monel Bourdon, Y-Y138A) Measuring range: not specified	2	ea	€ 655,00	€ 310,00
7	Pneumatic Pressure Transmitter Model: KKP15Y-22A1-7 (Y=Y138A) Measuring range: 0 - 5 kgf/cm2	1	ea	€ 120,00	€ 120,00
8	Displacement type Liquid Level Indicating Controller Model: KFLB22-610511EC2A1-M7 KFLB Torque tube type	1	ea	€ 308,00	€ 308,00
	2 Function	Indicating transmitter and controller			
	2 Function	PI control			
	61 Specific graity	For medium specific gravity			
	05 Range	0 - 500 mm (SG: 0.6 - 1.6)			
	1 Process connection	External chamber type, side-side flanged			
	1 Material	Bonnet/Chamber/Torque tube housing: Carbon Steel			
	E Other material	Torque tube: SUS316L(0 to 299 deg.C)			
	C Working pressure range	ANSI 300 (RF smoothness)			
	2 Flange size	2 inch			
	A Air piping connection	Rc1/4"			
	1 Unit/Pneumatic signal	kgf/cm2/0.2-1.0kgf/cm2			
	M Option	Integral manual loader (A-M switch)			
	9 Option	Air-set			
9	Displacement type Liquid Level Indicating Controller Model: KFLB22-610511EC2A1-M7 Note: Same as item 8	4	ea	€ 308,00	€ 232,00
10	VumatiK Indicating Controller Model: NULB52-A1-X Scale: 0 - 100 even	4	ea	€ 3 440,00	€ 3 760,00
11	NutroniK8000 Recorder Model: KSR110-00-000 Scale: 0 - 100 even Input: 1 - 5 V.DC. Power supply: DC.24V. Note: Quoted alternative current model since NSX10Y had been phased out so many years ago.	1	ea	€ 205,00	€ 205,00
12	Pressure Indicating Controller Model: KFPA12Y-01004A1T-M7 Range & Scale: 0 - 400kPa	1	ea	€ 078,00	€ 078,00
					Y=Y138A
13	Pressure Indicating Controller Model: KFPA12Y-01005A1T-M7 Range & Scale: 0 - 500kPa	1	ea	€ 078,00	€ 078,00
					Y=Y138A
14	Manual Unit P/N: 80355260.00100	2	ea	€ 080,00	€ 160,00

