

NO	TAG NO	QTY	MODEL	DESCRIPTION	BODY SIZE	RATED CV	RATING	CONN TYPE	BODY MATE	TRIM MATE	BONNET	ACTUATOR	Unit price Euro
1	30-FV-0042	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	2463
2	30-FV-0044	1	AGVM	Top-Guided Single-Seat Control Valves Small-Port Cage	1-1/2 in.	21	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2526
3	30-FV-0046	1	HLC	Guide Type Single Seated Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	HA2R	3726
4	30-FV-0101	1	AGVM	Top-Guided Single-Seat Control Valves Small-Port Cage	1 in.	0.25	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	1853
5	30-FV-0103	1	HLC	Guide Type Single Seated Control Valves	1 in.	1.6	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2811
6	30-FV-1690	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	4.0	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2042
7	30-FV-2662	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1D	2042
9	31-FV-1087	1	HLS	Small-Port Single Seated Control Valves	3/4 in.	0.04	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	3811
10	31-FV-1180	1	AGVM	Top-Guided Single-Seat Control Valves Compressive Fluid	2-1/2 in.	85	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3R	2305
11	31-FV-1193	1	ACN	Service Low-Noise Cage Type Control Valves Compressive Fluid	6 in.	330	ANSI300	RF	A216WCB	A351CF8M/SUS316	PLAIN (-17 to 230 degC)	HA3R	7621
12	31-FV-1194	1	ACN	Service Low-Noise Cage Type Control Valves	6 in.	330	ANSI300	RF	A216WCB	A351CF8M	PLAIN (-17 to 230 degC)	HA3D	7621
14	32-FV-2087	1	HLS	Small-Port Single Seated Control Valves	3/4 in.	0.04	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	3800
15	32-FV-2180	1	AGVM	Top-Guided Single-Seat Control Valves Compressive Fluid	2-1/2 in.	85	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3R	2305
16	32-FV-2193	1	ACN	Service Low-Noise Cage Type Control Valves Compressive Fluid	6 in.	330	ANSI300	RF	A216WCB	A351CF8M/SUS316	PLAIN (-17 to 230 degC)	HA3R	7621
17	32-FV-2194	1	ACN	Service Low-Noise Cage Type Control Valves	6 in.	330	ANSI300	RF	A216WCB	A351CF8M/SUS316	PLAIN (-17 to 230 degC)	HA3D	7621
18	34-FV-1360	0			1-1/2 in.		ANSI300	RF	Alloy				
19	34-FV-1367	0			1 in.		ANSI300	RF	Alloy 20				

20	34-FV-1380	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2926
21	34-FV-1382	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	1.6	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2811
22	34-FV-1386	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	4.0	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2042
23	34-FV-1387	0			1 in.		ANSI300	RF	Alloy AL-				0
24	34-FV-1388	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	1.6	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2811
25	34-FV-1400	1	HSC	Cage Type Single Seated Control Valves	2 in.	12	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2453
26	34-FV-1420	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA2R	1484
27	34-FV-1422	1	HSC	Cage Type Single Seated Control Valves	1-1/2 in.	12	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2295
28	34-FV-1431	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	0.63	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2042
29	34-FV-1450	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1/2 in.	1.0	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1R	2042
30	34-FV-1453	0			1-1/2 in.		ANSI300	RF	Alloy				
31	34-FV-1454	0			1-1/2 in.		ANSI300	RF	Alloy				
32	34-HV-1463	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	30	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2158
33	34-HV-2463	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	30	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2158
34	34-LV-1444	0			3 in.		ANSI300	RF	Alloy				
35	34-LV-1550	1	HTS	Top-Guided Single Seated Control Valves	2 in.	4.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	3453
36	34-PV-1440	0			3 in.		ANSI300	RF	Alloy				
37	34-PV-1520	1	ACP	Pressure Balanced Cage Type Control Valves	8 in.	610	ANSI300	RF	A216WCB	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA4R	9095
38	34-TV-1361	1	ACN	Compressible Fluid Service Low-Noise Cage Type Control Valves	2 in.	44	ANSI300	RF	A216WCB	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA3R	3537

39	34-TV-1384A	1	AGVM	Top-Guided Single-Seat Control Valves Small-Port Cage	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	2663
40	34-TV-1384B	1	HLC	Guide Type Single Seated Control Valves	1 in.	0.63	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1D	2758
41	34-TV-1390A	1	AGVM	Top-Guided Single-Seat Control Valves Cage Type Single	1-1/2 in.	21	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	2032
42	34-TV-1390B	1	HSC	Seated Control Valves	1-1/2 in.	12	ANSI300	RF	A216WCB	SUS440C	PLAIN (-17 to 230 degC)	PSA1D	3021
43	34-TV-1449A	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	85	ANSI300	RF	A216WCB	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA3R	1842
44	34-TV-1449C	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	21	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1358
45	34-TV-1449D	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	50	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA3D	1747
46	34-TV-1508	1	ACP	Pressure Balanced Cage Type Control Valves	6 in.	322	ANSI300	RF	A216WCB	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA3R	6632
47	34-TV-1520	1	AGVM	Top-Guided Single-Seat Control Valves Small-Port Cage	1 in.	1.6	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1232
8	31-FV-1063	1	HLC	Guide Type Single Seated Control Valves	3/4 in.	0.4	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	3568
13	32-FV-2063	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	3/4 in.	0.4	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	3568
<b>TOTAL</b>		<b>40</b>											<b>131896</b>