

NO	TAG NO	QTY	MODEL	DESCRIPTION	BODY SIZE	RATED CV	RATING		BODY MATE	TRIM MATE	BONNET	ACTUATOR	Unit Price Euro
1	40-FV-0001	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	0.63	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2737
2	40-PV-0062	1	AGVM	Top-Guided Single-Seat Control Valves	1/2 in.	1.0	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1D	1832
3	40-PV-0210A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	2.5	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1726
4	40-PV-0210B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	1726
5	40-PV-0225A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	0.4	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1232
6	40-PV-0225B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1D	1295
7	40-PV-0361A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	1789
8	40-PV-0361B	1	HTS	Seated Control Valves Pressure Balanced Cage	1-1/2 in.	0.25	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	EXT-1 (230 to 450 degC)	HA2R	3800
9	40-PV-0431	1	ACP	Type Control Valves	8 in.	610	ANSI300	RF	A216WCB	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA4R	8716
10	40-TV-0060B	1	AGVM	Top-Guided Single-Seat Control Valves Small-Port Cage Guide	1 in.	4.0	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA1D	1295
11	40-TV-0272	1	HLC	Type Single Seated Control Valves	1 in.	0.63	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 450 degC)	HA2R	2221
12	41-FV-1011	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3074
13	41-FV-1012	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3074
14	41-FV-1013	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	14	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA2R	3316
15	41-FV-1021	1	AGVM	Top-Guided Single-Seat Control Valves	1/2 in.	4.0	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3011
16	41-FV-1038A	1	HLS	Small-Port Single Seated Control Valves	1/2 in.	0.02	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	HA2R	3253
17	41-FV-1038B	1	HLS	Small-Port Single Seated Control Valves	1/2 in.	0.02	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	HA2R	3253
18	41-FV-1147	1	HLS	Small-Port Single Seated Control Valves	1 in.	0.04	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1D	3189
19	41-FV-1200	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2347
20	41-FV-1221	1	HSC	Cage Type Single Seated Control Valves	6 in.	125	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	HA3D	9800
21	41-FV-1225	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	2.5	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2811
22	41-HV-1034	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789

23	41-HV-1051	1	AGVM	Top-Guided Single-Seat Control Valves	4 in.	85	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	3937
24	41-HV-1103	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	21	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	2989
25	41-HV-1106	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	0.63	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789
26	41-HV-1126	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789
27	41-HV-1133	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	2989
28	41-LV-1116	1	HSC	Cage Type Single Seated Control Valves	2 in.	21	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 450 degC)	HA2D	4021
29	41-LV-1203	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	1842
31	41-PV-1055	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	3789
32	41-PV-1057A	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	4526
33	41-PV-1057B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	3947
34	41-PV-1057C	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2905
35	41-PV-1107	1	ACN	Compressible Fluid Service Low-Noise Cage Type Control Valves	6 in.	330	ANSI300	RF	A351CF8M	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA4R	13495
36	41-PV-1118	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	2379
37	41-PV-1123	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	85	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	3589
38	41-PV-1186A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1979
39	41-PV-1186B	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	30	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	2053
40	41-PV-1197	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	1947
41	41-TV-1042	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
42	41-TV-1063A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
43	41-TV-1065	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA3D	2789
44	41-TV-1109A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
45	41-TV-1109B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
46	41-TV-1111	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	1337
47	41-TV-1113	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA2R	1663

48	41-TV-1136A	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	14	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1526
49	41-TV-1136B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	2.5	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
50	41-TV-1136C	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	2158
51	41-TV-1138	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	1389
52	41-TV-1210	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	21	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1526
53	41-TV-1216	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	14	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
54	41-TV-1220	1	AGVM	Top-Guided Single-Seat Control Valves	4 in.	85	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA3R	2063
55	41-TV-1226	1	ACP	Pressure Balanced Cage Type Control Valves	1-1/2 in.	29	ANSI300	RF	A216WCB	A351CF8M/SUS316 STELLITE	EXT-1 (230 to 400 degC)	HA3R	2653
56	42-FV-2011	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	8.0	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3074
57	42-FV-2012	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3074
58	42-FV-2013	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	14	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA2R	3316
59	42-FV-2021	1	HLS	Small-Port Single Seated Control Valves	1/2 in.	0.1	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	4768
60	42-FV-2038A	1	HLS	Small-Port Single Seated Control Valves	1/2 in.	0.1	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	3084
61	42-FV-2038B	1	HLS	Small-Port Single Seated Control Valves	1/2 in.	0.04	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	3084
62	42-FV-2147	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	0.16	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1D	3063
63	42-FV-2200	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316 STELLITE FACE	PLAIN (-17 to 230 degC)	PSA1R	3768
64	42-FV-2221	1	HSC	Cage Type Single Seated Control Valves	6 in.	125	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	HA3D	9800
65	42-FV-2225	1	HLC	Small-Port Cage Guide Type Single Seated Control Valves	1 in.	2.5	ANSI300	RF	A351CF8M	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2811
66	42-HV-2034	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789
67	42-HV-2051	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A351CF8M	SUS316	EXT-1 (230 to 400 degC)	PSA2D	3137
68	42-HV-2103	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	21	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	2989
69	42-HV-2016	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	0.4	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789

70	42-HV-2126	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	0.63	ANSI300	RF	A351CF8M	SUS316+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	1789
71	42-HV-2133	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	2989
72	42-LV-2116	1	HSC	Cage Type Single Seated Control Valves	2 in.	21	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 450 degC)	HA2D	4042
73	42-LV-2203	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	1842
74	42-LV-2223	1	HSC	Cage Type Single Seated Control Valves	1-1/2 in.	12	ANSI300	RF	A216WCB	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2305
75	42-PV-2055	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	3632
76	42-PV-2057A	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	4526
77	42-PV-2057B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	3905
78	42-PV-2057C	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A351CF8M	SUS316L+SOFT SEAT	PLAIN (-17 to 230 degC)	PSA1R	3200
79	42-PV-2107	1	HCN	Compressible Fluid Service Low-Noise Cage Type Control Valves	6 in.	330	ANSI300	RF	A351CF8M	SCS14A STELLITE	EXT-1 (230 to 450 degC)	DAP1000	22926
80	42-PV-2118	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA2D	2600
81	42-PV-2123	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	85	ANSI300	RF	A351CF8M	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3R	3074
82	42-PV-2186A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	6.3	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1R	2347
83	42-PV-2186B	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	30	ANSI300	RF	A351CF8M	SUS316	PLAIN (-17 to 230 degC)	PSA1D	2537
84	42-PV-2197	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA3D	1947
85	42-TV-2042	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
86	42-TV-2063A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.0	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
87	42-TV-2065	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316	PLAIN (-17 to 230 degC)	PSA3D	2653
88	42-TV-2109A	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
89	42-TV-2109B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
90	42-TV-2111	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	4.0	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1D	1389
91	42-TV-2113	1	AGVM	Top-Guided Single-Seat Control Valves	2 in.	50	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA2R	1663
92	42-TV-2136A	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	14	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1526
93	42-TV-2136B	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	1.6	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389

94	42-TV-2136C	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	2158
95	42-TV-2138	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	2158
96	42-TV-2210	1	AGVM	Top-Guided Single-Seat Control Valves	1-1/2 in.	21	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
97	42-TV-2216	1	AGVM	Top-Guided Single-Seat Control Valves	1 in.	14	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA1R	1389
98	42-TV-2220	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA3R	1842
99	42-TV-2226	1	AGVM	Top-Guided Single-Seat Control Valves	3 in.	115	ANSI300	RF	A216WCB	SUS316 STELLITE	EXT-1 (230 to 400 degC)	PSA4R	2158
30	41-LV-1223	1	HSC	Cage Type Single Seated Control Valves	1-1/2 in.	6.3	ANSI300	RF	A216WCB	SUS316 STELLITE	PLAIN (-17 to 230 degC)	PSA1R	2305
TOTAL		99											293471