



# 製品仕様書

## SPECIFICATIONS

形番 MODEL	Q631A,B	A 4 2 4 6 E <sup>2</sup> / <sub>2</sub>
名称 NAME	AUXILIARY SWITCH	

WEIGHT: Approximately 0.85 Kg

ACCESSORIES:

(1) Screw (M4)	4 pieces
Washer	4 pieces
(2) Screw (M5)	3 pieces
(3) Spacer	3 pieces
(4) Screw (#8, self-tapping)	3 pieces
Washer	3 pieces

MOUNTING: To mount on Yamatake-Honeywell Modutrol Motor.

- (1) In case of mounting to flange end of M904, M931, etc.: Use accessory parts (1).
- (2) In case of mounting to cover end of M904, M931, etc.: Use accessory parts (2) and (3).
- (3) In case of mounting to M944, M945, etc.:  
Use accessory parts (3) and (4).

作成: DRWN	照査: CHKD	承認: APPD
<i>A. Hoikawa</i> Jun. 1 '81	<i>K. Murata</i> Jun. 2 '81	<i>T. Kojima</i> Jun. 2 '81

SP.NO.

**Yamatake Corporation**

製品仕様書  
**SPECIFICATIONS**

“RESTRICTIONS ON USE”

This product has been designed, developed and manufactured for general-purpose application in machinery and equipment.

Accordingly, when used in applications outlined below, special care should be taken to implement a fail-safe and/or redundant design concept as well as a periodic maintenance program.

- Safety devices for plant worker protection
- Start/stop control devices for transportation and material handling machines
- Aeronautical/aerospace machines
- Control devices for nuclear reactors

Never use this product in applications where human safety may be put at risk.

1	00	00	First issue	12-2-02	Harada	Miura
頁	改番	改番	来歴	日付	担当	検閲
	REV.	REV.	RECORD	DATE	BY	APPD.