


SP. No.

Yamatake Corporation

製品仕様書
SPECIFICATIONS



*Having no shutter, C7012C requires no wiring to terminal ③ and ④

07	JE096-0089	2.19.'96	I.W	Y.N	作成DR. M.Ariji 7.26.'93	⊕	尺度SCALE	記入のない公差 TOL. UNLESS NOTED
06	JE095-0412	9.14.'95	I.W	Y.N	検図CHK. M.Ogido 7.26.'93	⊕	CD	
05	Redrawn	7.21.'93	M.A	M.O	認可APPD K.Murata 7.26.'93	形番 MODEL	C7012C・F	
04	Changed Specs	7.1.'93	I.S	M.O	日付DATE	名称	SOLID STATE EXPLOSION-PROOF NAME ULTRAVISION	
03	Drawing Changed	Oct.12.'83	A.S	M.O	日付DATE	図番	AD1608E	改番REV. 3/3
02	Added dimensions. Redraw	Aug.19.'81	Y.S	M.O	日付DATE	NO.		07
改番 REV.	来歴 RECORD	: 日付 DATE	担当 BY	検閲 APPD.	2.19.'96			

SP. NO.

Yamatake Corporation

製品仕様書 SPECIFICATIONS

“RESTRICTIONS ON USE”

This product has been developed, designed and manufactured in accordance with the standards of explosion-protected electrical apparatus.

When using this product in application requiring particular safety, special care should be taken to implement a fail-safe and/or redundant design concept as well as a periodic maintenance program.

The notified body and/or the applicable standards may vary by the model number. Be sure to confirm the specification for the details.

		01	JEO03-0457	6-23-03	Harada	Miura
1	01	00	First issue	12-2-02	Harada	Miura
頁	改番	改番	来歴	日付	担当	検閲
		REV.	RECORD	DATE	BY	APPD.