

V-Flow Line

Price list EURO

Variable area flowmeters Q-Flow & V-100
High-precision control valves M-Flow

Valid from February 21st 2011 – Version 1.2011



Conditions

This price list remains valid until revoked. We reserve the right to adopt prices due to fluctuation in exchange rates EUR/CHF.

Kindly consider our minimum order value of EURO 100.– net.

All prices without VAT.

Beside we refer to our General Terms and Conditions for Sales and Delivery:
http://voegtlin.sharepointhosting.ch/DOCUMENTS/399-2021_en_termscondition.pdf

© 2011 Vögtlin Instruments AG (Switzerland) – errors excepted



Vögtlin Instruments AG – flow technology
 Langenhagstrasse 1 | 4147 Aesch (Switzerland)
 Phone +41 (0)61 756 63 00 | Fax +41 (0)61 756 63 01
www.voegtlin.com | info@voegtlin.com

vögtlin 
 instruments



Variable area flowmeters Q-Flow

Flow Line Q	Size	Material	Setup	Valve	Connections	M- Tube scale	Options
FLQ	ABC	S	S	S	S	S	
FLQ		E	T				
FLQ				O	S	M	A
					B	D	B
					C	K	
							T
							P
							E

Variable area flowmeters for gases and liquids				
Instrument size	55	80	140	
Instrument with valve (standard): materials and setup				
Aluminium / FKM (Standard)				
Standard setup	In- and outlet on the backside	EURO	174.00	174.00
Stainless steel / FKM				
Standard setup	In- and outlet on the backside		228.00	228.00
Stainless steel / EPDM				
Standard setup	In- and outlet on the back side		284.00	284.00
Instrument without valve: materials and setup				
Aluminium / FKM (standard)				
Standard setup	In- and outlet on the backside		125.00	125.00
Stainless steel / FKM				
Standard setup	In- and outlet on the backside		159.00	159.00
Stainless steel / EPDM				
Standard setup	In- and outlet on the backside		190.00	190.00
Version				
Connection (female)			Additional charge	
	G 1/4"		0.00	
	G 1/8"		0.00	
	NPT 1/4"		0.00	
	G 1/4", SL	Adapter for compression fittings	0.00	
See for other fittings the option price list (red-y series)				
Measuring tube scale				
	millimetric-scale		0.00	
	Standard Ranges (Air, Water) see List		0.00	
	customized measuring tube scale		50.00	
Valve Options				
	Locking ring for standard-knob		7.00	
	Locking nut instead of standard-knob		0.00	
Additional Options				
Flow table		additional flow table for mm-scale	18.00	
Calibration report		Depending on scale max. 10 measuring points	220.00	
		For each additional measuring point on report	20.00	
Panel mounting kit		for installation into control panel, retracted	24.00	
Hose connectors PVC		G 1/4", 4mm (N), 6mm (O), 8mm (Q), Pair	10.00	



Variable area flowmeters V-100

Variable area flowmeters for gases and liquids									
Instrument size									
55									
80									
140									
With valve (standard): materials and setup									
Aluminium / FKM (standard)									
Standard setup		In- and outlet on the backside	EURO	178.00	178.00	208.00			
Setup L or R		In- and outlet on the side		184.00	184.00	214.00			
Stainless steel / FKM									
Standard setup		In- and outlet on the backside		239.00	239.00	269.00			
Setup L or R		In- and outlet on the side		245.00	245.00	275.00			
Setup A, T or O		In: vertical / Out: on the side or backside		263.00	263.00	293.00			
Stainless steel / EPDM									
Standard setup		In- and outlet on the backside		295.00	295.00	326.00			
Setup L or R		In- and outlet on the side		301.00	301.00	332.00			
Setup A, T or O		In: vertical / Out: on the side or backside		319.00	319.00	350.00			
Stainless steel / FFKM									
Standard setup		In- and outlet on the backside		492.00	492.00	523.00			
Setup L or R		In- and outlet on the side		498.00	498.00	529.00			
Setup A, T or O		In: vertical / Out: on the side or backside		516.00	516.00	547.00			
Without valve: materials and setup									
Aluminium / FKM (standard)									
Standard setup		In- and outlet on the backside		129.00	129.00	159.00			
Setup L or R		In- and outlet on the side		135.00	135.00	165.00			
Stainless steel / FKM									
Standard setup		In- and outlet on the backside		170.00	170.00	200.00			
Setup L or R		In- and outlet on the side		176.00	176.00	206.00			
Setup A, T or O		In: vertical / Out: on the side or backside		194.00	194.00	224.00			
Stainless steel / EPDM									
Standard setup		In- and outlet on the backside		202.00	202.00	233.00			
Setup L or R		In- and outlet on the side		208.00	208.00	239.00			
Setup A, T or O		In: vertical / Out: on the side or backside		226.00	226.00	257.00			
Stainless steel / FFKM									
Standard setup		In- and outlet on the backside		305.00	305.00	336.00			
Setup L or R		In- and outlet on the side		311.00	311.00	342.00			
Setup A, T or O		In: vertical / Out: on the side or backside		329.00	329.00	360.00			
Executions									
Connection female									
G 1/4"				0.00					
G 1/8"				0.00					
NPT 1/4"				0.00					
G 1/4", SL		Adapter for compression fittings		0.00					
See for other fittings the option price list (red-y series)									
Measuring tube scale									
millimetric-scale				0.00					
Standard Scales (Air, Water) see list				0.00					
Customized measuring tube scale				50.00					
Valve options									
Locking ring for standard-knob				7.00					
Locking nut instead of standard-knob				0.00					
Additional options									
Additional charge									
Flow table		additional flow table for mm-scale		18.00					
Calibration report		Depending on scale max. 10 measuring points		220.00					
		For each additional measuring point on report		18.00					
Laboratory base		round		75.00					
Back cover		plexiglass, milky		18.00					
Limit switch		Minimum-switch		180.00					
		Maximum-switch		180.00					
		Relays, 24 Vdc		135.00					
		Relays, 220 Vac		135.00					
Hose connectors PVC		G 1/4", 4mm (N), 6mm (O), 8mm (Q), Pair		10.00					

Flow Line V100 Size Material Setup Valve Connections M-Tube scale Options

