

price list 2013

valid from 01.01.2013

content

Coriolis Mass Flow Meter

TCM transducer	page 3
TCE transmitter	page 3
TCC data transmission cable	page 4
TCM options	page 4

ZHM Gear Flow Meter

ZHM...ST series with tungsten carbide bearings & SS body	page 5
ZHM...KL series with ball bearings & SS body	page 5
ZHA...KL series with ball bearings & aluminium body	page 6
ZHM...HP with high pressure connection	page 6
ZHM options	page 6

HM Turbine Flow Meter

HM...F with flange connections	page 7
HM...R with female inch thread	page 8
HM...E with Ermeto connections	page 8
HM...TC/AC for high pressure applications	page 9
HM...NS for high pressure applications	page 9
HM...NPT with NTP male connections	page 10
HM...FT with Tri-Clamp connections	page 10
HM...RL for solvents and demi-water	page 11
HMP for monitoring temperature control circuits	page 11
HM.../*U* for hydraulic applications	page 11
HM...RV with diary connection	page 12
HM options	page 12/13

SRZ Helical Flow Meter

SRZ...ST with tungsten carbide bearings	page 14
SRZ...KL with ball bearings	page 14
SRZ options	page 14
SRZ...A/C/R compact series with tungsten carbide bearings	page 15

LFM Micro Flow Meter

LFM Micro Flow Meter	page 16
LFM accesories	page 16

KPS Turbidity Meter	page 16
---------------------	---------

factory and DKD calibration	page 17
-----------------------------	---------

Start Up	page 17
----------	---------

Pickups and Amplifiers

VT-Series Carrier frequency pickups	page 18
VHE-Series Halleffekt-Amplifiers	page 18
FOP-Series Fibreoptik-Amplifiers	page 18
IF-Series Inductive Pickup coils	page 19
VIE-Series Inductive amplifiers	page 19
VIEG-* / WIE*/P separated Inductive Amplifiers	page 19
IG 03 H Halleffekt-Amplifier	page 20
EWS Intrinsically Safe supply for frequency	page 20
PFU Isolat'n Barrier for analogue	page 20

Evaluation Electronics

WT/I.02 - Local converter	page 21
VTC* - Local Display	page 21
V*G - Local Display	page 22
VTB - Battery powered Local Display	page 22
FAS* - separated Display, panel mount	page 23
FAW* - separated Display, wall mount	page 23

Accessories for Electronics

Cables	page 24
Sockets	page 24

Delivery Terms, Prices, Address	page 25
---------------------------------	---------

TCM Coriolis Mass Flow Meter

1. TCM transducer

- housing material as per DIN 1.4301 (AISI 316 L), tube material as per DIN 1.4404 (AISI 316 L) for wetted parts
- 1 calibration incl. record

type / standard connection	measuring range kg/h	unit price €
TCM 0325 (G 1/2" female thread)	4.5 to 300	2.062,00
TCM 0650 (G 1/2" female thread)	6.0 to 600	2.062,00
TCM 1550 (G 1/2" female thread)	15 to 1,500	2.527,00
TCM 3100 (G 1/2" female thread)	30 to 3,000	2.527,00
TCM 5500 (DN 15 PN 350 flange)	55 to 5,500	2.646,00
TCM 7900 (DN 15 PN 40 flange)	75 to 7,500	2.735,00
TCM 28K (DN 25 PN 40 flange)	288 to 28,800	4.139,00
TCM 65K (DN 50 PN 40 flange)	650 to 65,000	6.191,00
KCM 0300 to 3000, 0.5 % accuracy, up to 350 bar	4.5 to 3,000	on request

2. TCE transmitter

- panel-mounted or wall-mounted housing and compact version

type	unit price €
TCE 8000-C (Compact version)	1.133,00
TCE 8000-WG (Remote electronic, wall-mounted version)	1.338,00
TCE 8000-SG (Remote electronic, panel-mounted version)	1.133,00
TCE 6000 (Electronic on top, Compact version without display)	684,00

options:	extra price €
HART communication (only for TCE 8000)	273,00
Ex protection TCE 8000 (Category 2G, Group II, Zone 1)	681,00
Ex protection TCE 6000 (Category 3G, Group II, Zone 2)	180,00
additional switching output for TCE 6000	121,00
Optical Output	on request
TRD additional display for TCE 6000 & 8000	435,00
High Temperature Version (max. 150 °C)	62,00

3. TCC data transmission cable

type	unit price €
TCC 003.0-*-08 (3 m length)	122,00
each additional meter (max. total length 15 m)	16,00
cable lengths over 15 m	on request

TCM Coriolis Mass Flow Meter

TCM options

<ul style="list-style-type: none"> process connectors: Tri-clamp as per DIN 32676 / ANSI 	extra price €
Dia 15	321,00
Dia 25 / 1.0 "	358,00
Dia 40 / 1.5 "	408,00
Dia 50 / 2.0 "	455,00
<ul style="list-style-type: none"> process connectors: dairy fittings as per DIN 11851 	extra price €
Dia 15	311,00
Dia 25	347,00
<ul style="list-style-type: none"> process connectors: flanges (for TCM0325 to TCM3100) as per DIN/ANSI to dia 25/1" 	extra price €
PN 40 or ANSI class 150/300 or JIS 10K to 40K	270,00
PN 100 or ANSI class 600	436,00
PN 160 or ANSI class 900	537,00
<ul style="list-style-type: none"> process connectors: flanges (for TCM5500 to TCM65K) as per DIN/ANSI 	extra price €
PN 100 or ANSI class 600	290,00
PN 160 or ANSI class 900	320,00

The technical sales and construction department has to check the connection types for functionality and production possibility
Combination of the flange and pressure rating is not always feasible

ZHM Gear Flow Meters

1. ZHM...ST series with tungsten carbide bearings & SS body

- materials as per DIN 1.4122 and 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
ZHM 01 ST	0.005 to 1	2.058,00
ZHM 01/1 ST	0.005 to 2	2.058,00
ZHM 01/1 CT	0.005 to 2	2.245,00
ZHM 01/2 ST	0.02 to 3	2.058,00
ZHM 01/2 CT	0.02 to 3	2.245,00
ZHM 02/1 ST	0.05 to 2	2.058,00
ZHM 02/1 LW	0.05 to 2	2.245,00
ZHM 02 ST	0.1 to 7	2.058,00
ZHM 02 LW	0.1 to 7	2.245,00
ZHM 03 ST	0.5 to 25	2.202,00
ZHM 04 ST	0.5 to 70	2.322,00
ZHM 05 ST	5 to 150	3.873,00
ZHM 06/1 ST	5 to 250	6.523,00
ZHM 06 ST	20 to 500	6.523,00
ZHM 07 ST	50 to 1,000	9.461,00

2. ZHM...KL series with ball bearings & SS body

- materials as per DIN 1.4122 and 1.4305 (AISI 303) with ball bearings
- 1 calibration incl. record

type	measuring range lpm	unit price €
ZHM 01/3 KL	0.002 to 0.5	1.622,00
ZHM 01/2 KL	0.02 to 3	1.158,00
ZHM 02 KL	0.1 to 7	1.071,00
ZHM 03 KL	0.5 to 25	1.215,00
ZHM 04 KL	0.5 to 70	1.780,00
ZHM 05 KL	5 to 150	2.874,00
ZHM 06/1 KL	5 to 250	3.636,00
ZHM 06 KR	20 to 500	3.724,00
ZHM 07 KR	50 to 1,000	4.747,00

accessories:

	unit price €
tube filter for ZHM 01/3 KL	15 micron 276,00

ZHM Gear Flow Meters

3. ZHA...KL series with ball bearings & aluminium body

- material: housing in high-strength aluminium AlCuMgPb
- 1 calibration incl. record

type	measuring range lpm	unit price €
ZHA 01/2 KL	0.02 to 3	847,00
ZHA 02 KL	0.1 to 7	673,00
ZHA 03 KL	0.5 to 25	710,00
ZHA 04 KL	0.5 to 70	782,00
ZHA 05 KL	5 to 150	1.727,00
ZHA 06 KR *	20 to 500	2.371,00
ZHA 07 KR * (max. 100 bar)	50 to 1,000	3.439,00

* KL = ball bearing ; KR = roller bearing

4. ZHM...HP with high pressure connection

- materials as per DIN 1.4404 (AISI 316L), special XYLAN coated bolts
- autoclave connection
- 1 calibration incl. record

type	measuring range lpm	unit price €
ZHM 01/1 HC	0.005 to 2	2.264,00
ZHM 01/2 HP	0.02 to 3	2.264,00
ZHM 02 HP	0.1 to 7	2.264,00
ZHM 03 HP	0.5 to 25	2.423,00
ZHM 04 HP	0.5 to 70	2.555,00

Options (only available for ZHM version):

	extra price €
adapter plate for ZHM 01/*...CT	117,00
special material housing 1.4404 and gears 1.4501	+30%
heated version (only ZHM 01/2 & 02)	on request

HM Turbine Flow Meter

1. HM...F series with flange connections

- housing material as per DIN 1.4571 (AISI 316Ti), internal material as per DIN 1.4305 (AISI 303) for wetted parts
- flange versions up to PN 64 as per DIN or up to 400 lbs/in as per ANSI B.16.5
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 015/003 F	0.3 to 1.5	2.258,00
HM 015/004 F	0.5 to 4	2.258,00
HM 015/005 F	0.8 to 6	2.258,00
HM 015/006 F	1.2 to 10	2.214,00
HM 015/007 F	2.0 to 20	2.135,00
HM 015/009 F	3.3 to 33	2.059,00
HM 015/011 F	6.0 to 60	2.036,00
HM 025/009 F	3.3 to 33	2.105,00
HM 025/011 F	6.0 to 60	2.083,00
HM 025/013 F	8.5 to 85	2.083,00
HM 025/017 F	12 to 120	2.099,00
HM 025/019 F	15 to 150	2.162,00
HM 025/022 F	20 to 200	2.225,00
HM 025/024 F	25 to 250	2.275,00
HM 040/022 F	20 to 200	2.314,00
HM 040/024 F	25 to 250	2.409,00
HM 040/028 F	30 to 360	2.510,00
HM 040/030 F	35 to 400	2.521,00
HM 040/036 F	40 to 500	2.528,00
HM 040 F	50 to 750	2.439,00
HM 050 F	70 to 1,200	3.143,00
HM 065 F	100 to 2,000	3.756,00
HM 080 F	160 to 3,200	4.560,00
HM 100 F	250 to 5,000	5.100,00
HM 125 F	300 to 6,600	7.899,00
HM 150 F	350 to 10,000	10.709,00
HM 200 F	430 to 13,400	15.830,00
HM 250 F	830 to 25,000	18.338,00

Price is always based on housing, NOT internal alternative pressure rate listed on page 12

HM Turbine Flow Meter

2. HM...R series with female inch threads

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 009 RP	0.03 to 0.8	1.323,00
HM 003 R	0.3 to 1.5	1.584,00
HM 004 R	0.5 to 4	1.584,00
HM 005 R	0.8 to 6	1.466,00
HM 006 R	1.2 to 10	1.466,00
HM 007 R	2 to 20	1.381,00
HM 009 R	3.3 to 33	1.323,00
HM 011 R	6 to 60	1.332,00
HM 013 R	8.5 to 85	1.353,00
HM 019 R	15 to 150	1.370,00
HM 028 R	30 to 360	1.635,00
HM 030 R	35 to 400	1.635,00

3. HM...E series with Ermeto threads

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 009 EP	0.03 to 0.8	1.606,00
HM 003 E	0.3 to 1.5	1.906,00
HM 004 E	0.5 to 4	1.906,00
HM 005 E	0.8 to 6	1.885,00
HM 006 E	1.2 to 10	1.885,00
HM 007 E	2 to 20	1.782,00
HM 009 E	3.3 to 33	1.708,00
HM 011 E	6 to 60	1.689,00
HM 013 E	8.5 to 85	1.689,00
HM 017 E	12 to 120	1.702,00
HM 019 E	15 to 150	1.767,00
HM 022 E	20 to 200	1.842,00
HM 024 E	25 to 250	1.923,00
HM 028 E	30 to 360	2.013,00
HM 030 E	35 to 400	2.099,00
HM 036 E	40 to 500	2.263,00

HM Turbine Flow Meter

4. HM...TC/AC series for high-pressure applications

- materials as per DIN 1.4571 (AISI 316Ti), 1.4460 (AISI 329)
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 003/TC-AC	0.3 to 1.5	2.797,00
HM 004/TC-AC	0.5 to 4	2.797,00
HM 005/TC-AC	0.8 to 6	2.767,00
HM 006/TC-AC	1.2 to 10	2.767,00
HM 007/TC-AC	2 to 20	2.998,00
HM 009/TC-AC	3.3 to 33	2.998,00
HM 011/TC-AC	6 to 60	2.998,00

5. HM...NS series for high-pressure applications

- materials as per DIN 1.4571 (AISI 316Ti), 1.4460 (AISI 329)
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 003/TC-*/S	0.3 to 1.5	2.797,00
HM 004/TC-*/S	0.5 to 4	2.797,00
HM 005/TC-*/S	0.8 to 6	2.767,00
HM 006/TC-*/S	1.2 to 10	2.767,00
HM 007/TC-*/V	2 to 20	2.998,00
HM 009/TC-*/V	3.3 to 33	2.998,00

HM Turbine Flow Meter

6. HM...NPT with NTP male connections

- materials as per DIN 1.4122 (AISI 303), 1.4404 (AISI 316L)
- 1 calibration incl. record

type	measuring range gpm	unit price €
HM 003 NPT (AW type TRG-11.250-5)	0.08 to 0.4	834,00
HM 004 NPT (AW type TRG-11.300-5)	0.13 to 1.06	1.061,00
HM 006 NPT (AW type TRG-11.375-5)	0.3 to 3	682,00
HM 009 NPT (AW type TRG-11.500-5)	0.9 to 9.0	619,00
HM 011 NPT (AW type TRG-11.750-5)	1.6 to 16	697,00
HM 011 NPT (AW type TRG-11.750)	1.6 to 16	714,00
HM 017 NPT (AW type TRG-11.875)	3.2 to 32	751,00
HM 022 NPT (AW type TRG-1110)	5.3 to 53	793,00
HM 040 NPT (AW type TRG 1120L)	13 to 200	1.257,00
HM 050 NPT (AW type TRG 1120)	40 to 400	1.257,00

7. HM...FT with Tri-Clamp connections

- materials as per DIN 1.4571 (AISI 316Ti), 1.4460 (AISI 329) and PTFE bearings
- lateral flush bores in bearing mounts
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 003 TRI	0.3 to 1.5	2.504,00
HM 004 TRI	0.5 to 4	2.504,00
HM 005 TRI	0.8 to 6	2.456,00
HM 006 TRI	1.2 to 10	2.387,00
HM 007 TRI	2 to 20	2.377,00
HM 009 TRI	3.3 to 33	2.300,00
HM 011 TRI	6 to 60	2.181,00
HM 013 TRI	8.5 to 85	2.181,00
HM 017 TRI	12 to 120	2.209,00
HM 019 TRI	15 to 150	2.275,00
HM 022 TRI	20 to 200	2.456,00
HM 024 TRI	25 to 250	2.506,00
HM 028 TRI	30 to 360	2.593,00
HM 030 TRI	35 to 400	2.679,00

HM Turbine Flow Meter

8. HM...RL series for solvents and demi-water

- materials as per DIN 1.4460 (AISI 329), 1.4305 (AISI 303)
- with integral pulse amplifier and preset divider
- incl. ATEX approval
- 1 calibration incl. record

type	measuring range lpm	unit price €
HM 003/TC-R/S-01	0.3 to 1.5	922,00
HM 004/TC-R/S-01	0.5 to 4	922,00
HM 005/TC-R/S-01	0.8 to 6	922,00
HM 006/TC-R/S-01	1.2 to 10	922,00
HM 007/TC-R/S-01	2 to 20	922,00
HM 013/TC-R/S-01	8.5 to 85	922,00

9. HMP for monitoring temperature control circuits

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
HMP 06-180	1.0 to 10	475,00
HMP 06-350	1.0 to 10	1.061,00
HMP 09-180	3.0 to 30	475,00
HMP 09-350	3.0 to 30	1.061,00
HMP 12-180	8.5 to 85	475,00
HMP 12-350	8.5 to 85	1.061,00
HMP 17-180	15 to 150	475,00
HMP 17-350	15 to 150	1.061,00
HMP 25-180	28 to 280	475,00
HMP 25-350	28 to 280	1.061,00

10. HM.../*U* for hydraulic applications

- materials: Aluminim AlCuMgPb
- 1 calibration incl. record

	measuring range lpm	unit price €
HM 007 U*	1.2 to 20	686,00
HM 011 U*	6.0 to 60	686,00
HM 022 U*	15 to 300	716,00
HM 030 U*	40 to 600	746,00

HM Turbine Flow Meter

11. HM...RV with dairy connections acc. DIN 11851

<ul style="list-style-type: none"> materials as per DIN 1.4122, 1.4305 (AISI 303) 1 calibration incl. record 	unit price €
	on request

Options

- DIN flanges for higher pressure rates for HM...F

pressure rate	extra price €
PN 100	5%
PN 160	15%
PN 250	20%
PN 320	25%
PN 400	50%

* Extra price only for housing

- ANSI flanges for higher pressure ratings for HM...F

pressure rate	extra price €
Class 600	5%
Class 900	15%
Class 1500	25%
Class 2500	50%

* Extra price only for housing

- RTJ flanges for higher pressure ratings for HM...F

pressure rate	extra price €
Class 600	5%
Class 900	15%
Class 1500	25%
Class 2500	50%

* Extra price only for housing

HM Turbine Flow Meter

- special materials 1.4571 and 1.4460 for internals

turbines	extra price €
up to dia DN 17	203,00
DN 19-65	359,00
DN 80-100	484,00
from dia DN 125	639,00

SRZ Helical Flow Meter

1. SRZ...ST series with tungsten carbide bearings

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
SRZ 10	0.02 to 4	2.345,00
SRZ 20	0.04 to 16	2.565,00
SRZ 40	0.4 to 40	2.586,00
SRZ 100	1 to 100	3.892,00
SRZ 400	4 to 400	5.517,00

2. SRZ...KL series with ball bearings

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
SRZ 40 KL	0.4 to 40	1.858,00
SRZ 100 KL	1 to 100	3.165,00
SRZ 400 KL	4 to 400	4.489,00

Options (only for SRZ version):

	extra price €
special material housing 1.4404 and spindles 1.4435	30%
heated versions	on request

SRZ Helical Flow Meter

3. SRZ...A/C/R compact series with tungsten carbide bearings

- materials as per DIN 1.4122, 1.4305 (AISI 303)
- with integrated electronic
- 1 calibration incl. record

type	measuring range lpm	unit price €
SRZ 40-*-A/C/R	0.4 to 40	3.239,00
SRZ 100-*-A/C/R	1 to 100	4.875,00
SRZ 400-*-A/C/R	4 to 400	6.911,00

Options: High Resolution Version

type	measuring range lpm	unit price €
SRZ 40-*-H1N	0.04 to 8	3.650,00
SRZ 100-*-H1N	1 to 100	5.494,00

* H2/H3 version on request

LFM Micro Flow Meter

- materials as per DIN 1.4435, 1.4122 (AISI 303)
- 1 calibration incl. record

type	measuring range lpm	unit price €
LFM 10	0.005 to 0.25	1.606,00

accessories:

		unit price €
tube filter	40 micron	236,00

KPS Turbidity meter

type	connection	unit price €
KPS 1.5-FT (Tri-Clamp)	1.5"	1.547,00
KPS 2.0-FT	2"	1.547,00
KPS 2.5-FT	2.5"	1.547,00
KPS 40-V (Varivent ®)	N	1.547,00
KPS 50-RV (dairy connection)	DN 50	1.547,00
KPS 65-RV	DN 65	1.547,00

Options for all Flow Meters

additional factory calibration

	unit price €
up to dia 40 with one calibration record (8 calibration points)	330,00
from dia 40 with one calibration record (8 calibration points)	658,00
each further calibration point (max. 20 off)	12,00
custom calibration (additional)	150,00
cleaning	80,00

DKD calibration

	unit price €
DKD calibration with certificate	1.242,00

* viskosity range 1 to 30 mm²/s, max. 2.000 lpm

certificates

	unit price €
certificate as per DIN 50049/3.1B	198,00
certificate as per DIN 50049/2.2	126,00
pressure test acc. DIN 2401.2.3	224,00
welding material certificate	120,00
certificate of origin	45,00

Adapter

	unit price €
Loos Flange	on request

Start Up

	price €
rate per hour for a senior technician	153,00
rate per hour for an engineer	105,00

Pickups and Amplifiers

1. VT... series carrier-frequency pickups (for standard applications)

type		unit price €
VTE*/P / VTE02*	Series A	312,00
VTE*/P-Ex	Series A	506,00
VTE02* (CSA approved)	Series A	506,00
VTE* (with PG cable gland)	Series C	337,00
VTE*-Ex (with PG cable gland)	Series C	544,00
VTE-CM	Series B	337,00
VTE-CM-Ex	Series B	544,00
TD* (for pulse doubling)		648,00
TD* Ex (for pulse doubling)		989,00

2. VHE...series hall effect amplifier (for ZHA aluminium gear flow meters ZHA 01/2 to ZHA 04)

type	unit price €
VHE*	191,00
VHD* (with double pickup)	245,00

3. FOP... series fibre-optic amplifier, splitted prices (for electrostatic applications)

type	unit price €
FOP 60 (fibreoptical amplifier)	820,00
FOP 60-Ex (fibreoptical amplifier)	1.330,00
OPTV-02/* (lightpulse receiver)	161,00
LWL-Cable (LW-LA-10), 10 meter	144,00

* max. LWL-cable length 12.5 m

Pickups and Amplifiers

4. IF... series inductive pickup coils without amplifier (for high fluid temperatures)

type	unit price €
IF*	237,00
IF* (Ex)	447,00
IF* PG	260,00
IF* PG (Ex)	469,00
IF* HT	363,00
IF* HT (Ex)	573,00
IF* HTK	540,00

5. VIE... series inductive amplifiers (for applications with high fluid temperatures)

type	unit price €
VIE* (with PG cable gland)	486,00
VIE*-Ex (with PG cable gland)	808,00
VIE*/P	312,00

6. VIEG-* / WIE*/P separated Inductive Amplifiers (for applications with high fluid temperatures)

type	unit price €
VIEG for IF inductive pickups (frequency output)	312,00
VIEG-** (Ex) for IF inductive pickups (frequency output)	555,00
WIE*/P for IF inductive pickups (analogue output)	399,00

* WIE*/P includes 1 m assembled HT sensor cable incl. 3-pin plug

Pickups and Amplifiers

7. IG 03 H hall effect amplifier (for ZHA aluminium gear flow meters ZHA 05 and ZHA 06)

type	unit price €
IG 03 H	312,00

Intrinsically Safe Supply

1. EWS (frequency)

type	unit price €
EWS 230 AC (110 AC, 24 AC) incl. OC output	365,00
EWS 24 DC, OC	396,00

EWS options:

	unit price €
PLC output, 24 V, active PNP	41,00
NAMUR output	24,00
reverse flow detection, frequency doubling	35,00

2. PFU (analogue)

type	unit price €
KFD2-STC4-Ex1	436,00

Evaluation Electronics

1. WT/I.02 - Frequency to analogue Converter

type	unit price €
WT/I.02*	369,00
WT/I.02* (Ex)	605,00
* WT.02* max. 120 °C, WI.02* max. 150 °C	
WT/I.02 options:	extra price €
CON.USB.WT incl. Easy Control Software	326,00
programming WT/WI (incl. linearization with x calibration points and testing)	54,00

2. VTC*/VIC* - On-Site Display

- incl. temperature sensor (8-pin)
- linearization database

type	unit price €
VTC*/VIC* Basic version (only analog & frequency output)	435,00
VTC*/VIC* basic options:	extra price €
HART protocol	273,00
USB connections (not available incl. HART)	273,00
ATEX certificate (EEx ia)	229,00
programming VTC*/VIC* (incl. linearization with x calibration points and testing)	54,00

3. VTL*/VIL* - On-Site Display

- without temperature sensor (5-pin)
- linearization database

type	unit price €
VTL*/VIL* Basic version (only analog & frequency output)	384,00
VTL*/VIL* basic options:	extra price €
programming VTC*/VIC* (incl. linearization with x calibration points and testing)	54,00

Evaluation Electronics

4. V*G - On-Site Display

type	unit price €
VTG AI (aluminum housing)	651,00
VTG ST (stainless steel housing)	1.168,00
VIG AI	651,00
VIG ST	1.168,00
V*G-Options:	
	unit price €
HART protocol	273,00
USB connection	273,00
ATEX certificate (EEx ia)	229,00
programming VTG/VIG (incl. linearization with x calibration points and testing)	54,00

4. VTB - Battery-powered Display Unit

type	unit price €
VTB-AI (aluminum housing)	949,00
VTB-AI-Ex	1.265,00
VTB-ST (stainless steel housing)	1.160,00
VTB-ST-Ex	1.582,00

Evaluation Electronics

5. FAS* - Remote Display

type	unit price €
FAS 101 panel-mounted display with digital input for 24V signals	350,00
FAS 111 same as FAS 101, with RS485 interface, linearization & control output	467,00

6. FAW* - Remote Display wall-mounted

type	unit price €
FAW 101 wall-mounted display with digital input for 24V signals	432,00
FAW 141 same as FAW 101, with add. Power supply 100-240VAC	463,00
FAW 111 same as FAW 101, with RS485 interface, linearization and control output	645,00
FAW 151 same as FAW 111, with add. Power supply 100-240VAC	676,00

FAS* options:	unit price €
HSA 72 (adapter FAS 100 for rail mounting)	22,00
IPS 9-7 (IP65-Protection for housing 96*72mm)	20,00
programming FAS/FAW (incl. linearization with x calibration points and testing)	54,00

Accessories for Electronics

1. Cables

for IF* and VIEG	per meter €
3-core, screened NF cable, grey	15,00
as above, however blue for Ex zone	16,00
2-core high temperature cable, white	22,00

for VTE*/P, TD*, HE* and HD*	per meter €
5-core, screened NF cable, grey	17,00
5-core, screened NF cable, Ex zone	18,00

2. Sockets

for IF*	price €
3-pin socket	37,00
3-pin right-angle socket	63,00

for VTE*/P, WT*, WI* TD*, HE* and HD*	price €
5-pin socket type 423	22,00
5-pin right-angle socket type 423	25,00
5-pin socket type 713 (M12)	26,00
5-pin right-angle socket type 713 (M12)	32,00

for VTC*	price €
8-pin socket	29,00

Delivery Terms, Prices, Address

Delivery is effected on our terms & conditions
These are available on our Homepage

All prices in this list are net, EXW Karlsfeld, excluding packing plus VAT
where applicable.

KEM
Küppers Elektromechanik GmbH
Liebigstr. 5
D-85757 Karlsfeld

Tel. +49 (0) 81 31/59 39 110
Fax +49 (0) 81 31/9 26 04
e-mail: info@kem-kueppers.com
internet: www.kem-kueppers.com
Subject to change without notice, 09.11.2012