

## FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 - 

|   |  |  |  |  |
|---|--|--|--|--|
| 2 |  |  |  |  |
|---|--|--|--|--|

 - 

|   |  |  |  |  |
|---|--|--|--|--|
| 0 |  |  |  |  |
|---|--|--|--|--|

 price

### Flow tube size

|            |   |          |
|------------|---|----------|
| size B 30  | D | 237,00 € |
| size B 40  | E | 237,00 € |
| size B 50  | F | 237,00 € |
| size B 65  | G | 237,00 € |
| size B 80  | H | 237,00 € |
| size B 100 | J | 237,00 € |

### Float

|                |   |   |         |
|----------------|---|---|---------|
| W. Nr. 1.4571  | B | 0 | - €     |
| PVDF, weighted | E | 0 | 23,00 € |

### Version

|  |   |         |
|--|---|---------|
| sheath tube stainless steel, union nut aluminium       | 1 | - €     |
| sheath tube stainless steel, union nut stainless steel | 2 | 35,00 € |

### gasket material

|       |   |            |
|-------|---|------------|
| Viton | 4 | - €        |
| EPDM  | 5 | 8,00 €     |
| FFKM  | 8 | on request |

### Connection Size

|                            |   |   |            |
|----------------------------|---|---|------------|
| PVC adhesive bushing DN 15 | A | A | on request |
| PVDF welded sleeve         | A | B | on request |

### Female thread DIN ISO 228

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | C | - €     |
| material stainless steel | D | - €     |
| G 1/4                    | B | 23,00 € |
| G 3/8                    | C | 23,00 € |
| G 1/2                    | D | - €     |

### Female thread NPT

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | F | - €     |
| material stainless steel | G | - €     |
| NPT 1/4"                 | B | 23,00 € |
| NPT 3/8"                 | C | 23,00 € |
| NPT 1/2"                 | D | 23,00 € |

### hose bushing

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | H | - €     |
| material stainless steel | J | - €     |
| LW 10 (3/8")             | B | 54,00 € |
| LW 13 (1/2")             | C | 54,00 € |

## FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 -  price

### flange connection EN 1092-1

|   |          |            |
|---|----------|------------|
| material PVDF build length 425mm            | <b>K</b> | on request |
| material PVDF build length 500mm            | <b>L</b> | on request |
| material stainless steel build length 425mm | <b>M</b> | - €        |
| material stainless steel build length 500mm | <b>N</b> | 47,00 €    |
| DN 10 PN 40                                 | <b>A</b> | 157,00 €   |
| DN 15 PN 40                                 | <b>B</b> | 137,00 €   |
| DN 20 PN 40                                 | <b>C</b> | 157,00 €   |
| DN 25 PN 40                                 | <b>D</b> | 157,00 €   |

### flange connection ASME B16.5

|   |          |            |
|---|----------|------------|
| material PVDF build length 425mm            | <b>P</b> | on request |
| material PVDF build length 500mm            | <b>Q</b> | on request |
| material stainless steel build length 425mm | <b>R</b> | - €        |
| material stainless steel build length 500mm | <b>S</b> | 47,00 €    |
| 1/2" ANSI 150 RF                            | <b>A</b> | 137,00 €   |
| 3/4" ANSI 150 RF                            | <b>B</b> | 157,00 €   |
| 1" ANSI 150 RF                              | <b>C</b> | 157,00 €   |

### Further designs

|   |            |            |
|---|------------|------------|
| With calibration certificate                    | <b>B06</b> | 260,00 €   |
| label in English                                | <b>B11</b> | - €        |
| certificate 2.1 nach EN10204                    | <b>C05</b> | 237,00 €   |
| pressure test 2.1 EN10204                       | <b>C07</b> | 237,00 €   |
| certificate leak tightness EN 10204             | <b>C09</b> | 253,00 €   |
| certificate material connection stainless steel | <b>C12</b> | 263,00 €   |
| ATEXT certificate                               | <b>C15</b> | on request |
| shatter protection                              | <b>S05</b> | 260,00 €   |
| float buffer in stainless steel                 | <b>S06</b> | on request |
| Measured medium                                 | <b>Y01</b> | 260,00 €   |
| With engraved scale (>90°C)                     | <b>Y02</b> | - €        |
| Special scale (1% accuracy)                     | <b>Y03</b> | 237,00 €   |
| Silicone-free version                           | <b>Y04</b> | 260,00 €   |
| water as measured medium                        | <b>Y05</b> | 260,00 €   |
| cleaning  | <b>Y07</b> | on request |
| TAG shield                                      | <b>Y17</b> | 260,00 €   |

## FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 - 

|   |  |  |  |  |
|---|--|--|--|--|
| 3 |  |  |  |  |
|---|--|--|--|--|

 - 

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

 price

### Flow tube size

|            |   |  |  |  |  |  |     |
|------------|---|--|--|--|--|--|-----|
| size C 125 | A |  |  |  |  |  | - € |
| size C 160 | B |  |  |  |  |  | - € |
| size C 200 | C |  |  |  |  |  | - € |
| size C 250 | D |  |  |  |  |  | - € |
| size C 315 | E |  |  |  |  |  | - € |
| size C 400 | F |  |  |  |  |  | - € |
| size C 500 | G |  |  |  |  |  | - € |

### Float

|                              |   |  |  |   |  |  |             |
|------------------------------|---|--|--|---|--|--|-------------|
| W. Nr. 1.4571                | B |  |  | 0 |  |  | 237,00 €    |
| W. Nr. 1.4571 / guided       | B |  |  | 2 |  |  | 237,00 €    |
| W. Nr. 1.4571 / with magnet  | B |  |  | 1 |  |  | 253,00 €    |
| W. Nr. 1.4571 / SV / guided  | C |  |  | 2 |  |  | 263,00 €    |
| PVC, weighted                | D |  |  | 0 |  |  | 285,00 €    |
| PVC, weighted / with magnet  | D |  |  | 1 |  |  | 260,00 €    |
| PVDF, weighted               | E |  |  | 0 |  |  | on request  |
| PVDF, weighted / with magnet | E |  |  | 1 |  |  | on request  |
| Aluminium                    | F |  |  | 0 |  |  | 99.999,00 € |
| Aluminium / guided           | F |  |  | 2 |  |  | 237,00 €    |
| Aluminium / with magnet      | F |  |  | 1 |  |  | 253,00 €    |
| PVC                          | G |  |  | 0 |  |  | 263,00 €    |
| PVC / with magnet            | G |  |  | 1 |  |  | 260,00 €    |
| PVDF                         | H |  |  | 0 |  |  | on request  |
| PVDF / with magnet           | H |  |  | 1 |  |  | on request  |

### Version

|  |   |  |  |  |  |  |         |
|--|---|--|--|--|--|--|---------|
| sheath tube stainless steel, union nut aluminium       | 1 |  |  |  |  |  | - €     |
| sheath tube stainless steel, union nut stainless steel | 2 |  |  |  |  |  | 35,00 € |

### gasket material

|       |  |  |  |   |  |  |            |
|-------|--|--|--|---|--|--|------------|
| Viton |  |  |  | 4 |  |  | - €        |
| EPDM  |  |  |  | 5 |  |  | 8,00 €     |
| FFKM  |  |  |  | 6 |  |  | on request |

### Contacts

|  |  |  |  |  |  |   |          |
|--|--|--|--|--|--|---|----------|
| Without contact                                    |  |  |  |  |  | 0 | - €      |
| Contact K17/A (closes when limit ist fallen below) |  |  |  |  |  | 1 | 123,00 € |
| Contact K17/B (opens when limit is fallen below)   |  |  |  |  |  | 2 | 123,00 € |
| 2 contacts K17/A                                   |  |  |  |  |  | 3 | 246,00 € |
| 2 contacts K17/B                                   |  |  |  |  |  | 4 | 246,00 € |
| 1 per contact K17/A and K17/B                      |  |  |  |  |  | 6 | 246,00 € |
| Changeover contact K33                             |  |  |  |  |  | 5 | 248,00 € |
| Changeover contact K33 i                           |  |  |  |  |  | 7 | 299,00 € |

## FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 -  - price

### Connection Size

|                            |     |            |
|----------------------------|-----|------------|
| PVC adhesive bushing DN 15 | A A | on request |
| PVDF welded sleeve         | A B | on request |

### Female thread DIN ISO 228

|                          |   |             |
|--------------------------|---|-------------|
| material PVDF            | C | 99.762,00 € |
| material stainless steel | D | - €         |
| G 1/4                    | B | - €         |
| G 3/8                    | C | 237,00 €    |
| G 1/2                    | D | 237,00 €    |

### Female thread NPT

|                          |   |            |
|--------------------------|---|------------|
| material PVDF            | F | on request |
| material stainless steel | G | - €        |
| NPT 1/4"                 | B | on request |
| NPT 3/8"                 | C | 237,00 €   |
| NPT 1/2"                 | D | 253,00 €   |

### hose bushing

|                          |   |            |
|--------------------------|---|------------|
| material PVDF            | H | - 23,00 €  |
| material stainless steel | J | - €        |
| LW 10 (3/8")             | B | 286,00 €   |
| LW 13 (1/2")             | C | on request |

### flange connection EN 1092-1

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | K | on request |
| material PVDF build length 500mm            | L | on request |
| material stainless steel build length 425mm | M | - €        |
| material stainless steel build length 500mm | N | 248,00 €   |
| DN 10 PN 40                                 | A | 157,00 €   |
| DN 15 PN 40                                 | B | 137,00 €   |
| DN 20 PN 40                                 | C | 157,00 €   |
| DN 25 PN 40                                 | D | 157,00 €   |

### flange connection ASME B16.5

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | P | on request |
| material PVDF build length 500mm            | Q | on request |
| material stainless steel build length 425mm | R | - €        |
| material stainless steel build length 500mm | S | 248,00 €   |
| 1/2" ANSI 150 RF                            | A | 137,00 €   |
| 3/4" ANSI 150 RF                            | B | 157,00 €   |
| 1" ANSI 150 RF                              | C | 157,00 €   |

### Further designs

|   |     |            |
|---|-----|------------|
| With calibration certificate                    | B06 | 23,00 €    |
| label in English                                | B11 | 54,00 €    |
| certificate 2.1 nach EN10204                    | C05 | 54,00 €    |
| pressure test 2.1 EN10204                       | C07 | 54,00 €    |
| certificate leak tightness EN 10204             | C09 | 54,00 €    |
| certificate material connection stainless steel | C12 | on request |
| ATEXT certificate                               | C15 | on request |
| shatter protection                              | S05 | on request |
| float buffer in stainless steel                 | S06 | on request |
| Measured medium                                 | Y01 | 23,00 €    |
| With engraved scale (>90°C)                     | Y02 | 23,00 €    |
| Special scale (1% accuracy)                     | Y03 | 23,00 €    |
| Silicone-free version                           | Y04 | 23,00 €    |
| water as measured medium                        | Y05 | 23,00 €    |
| cleaning  | Y07 | on request |
| TAG shield                                      | Y17 | 23,00 €    |

## FVA Tubux M 30 - 60 - variable area meter Glass flow tube

7ME5812 - 4 - - price

### Flow tube size

|             |   |  |  |  |  |  |  |  |     |
|-------------|---|--|--|--|--|--|--|--|-----|
| size D 650  | B |  |  |  |  |  |  |  | - € |
| size D 800  | C |  |  |  |  |  |  |  | - € |
| size D 1000 | D |  |  |  |  |  |  |  | - € |
| size D 1250 | E |  |  |  |  |  |  |  | - € |
| size D 1600 | F |  |  |  |  |  |  |  | - € |
| size D 2000 | G |  |  |  |  |  |  |  | - € |
| size D 2500 | H |  |  |  |  |  |  |  | - € |
| size D 3000 | J |  |  |  |  |  |  |  | - € |

### Float

|                              |   |  |  |  |   |            |
|------------------------------|---|--|--|--|---|------------|
| W. Nr. 1.4571                | B |  |  |  | 0 | 245,00 €   |
| W. Nr. 1.4571 / guided       | B |  |  |  | 2 | 266,00 €   |
| W. Nr. 1.4571 / with magnet  | B |  |  |  | 1 | 276,00 €   |
| W. Nr. 1.4571 / SV / guided  | C |  |  |  | 2 | 297,00 €   |
| PVC, weighted                | D |  |  |  | 0 | 279,00 €   |
| PVC, weighted / with magnet  | D |  |  |  | 1 | 305,00 €   |
| PVDF, weighted               | E |  |  |  | 0 | on request |
| PVDF, weighted / with magnet | E |  |  |  | 1 | on request |
| Aluminium                    | F |  |  |  | 0 | 245,00 €   |
| Aluminium / guided           | F |  |  |  | 2 | 266,00 €   |
| Aluminium / with magnet      | F |  |  |  | 1 | 276,00 €   |
| PVC                          | G |  |  |  | 0 | 248,00 €   |
| PVC / with magnet            | G |  |  |  | 1 | 305,00 €   |
| PVDF                         | H |  |  |  | 0 | on request |
| PVDF / with magnet           | H |  |  |  | 1 | on request |

### Version

|  |   |  |  |  |  |         |
|--|---|--|--|--|--|---------|
| sheath tube stainless steel, union nut aluminium       | 1 |  |  |  |  | - €     |
| sheath tube stainless steel, union nut stainless steel | 2 |  |  |  |  | 65,00 € |

### gasket material

|       |   |  |  |  |  |            |
|-------|---|--|--|--|--|------------|
| Viton | 4 |  |  |  |  | - €        |
| EPDM  | 5 |  |  |  |  | 8,00 €     |
| FFKM  | 6 |  |  |  |  | on request |

### Contacts

|  |   |  |  |  |  |          |
|--|---|--|--|--|--|----------|
| Without contact                                    | 0 |  |  |  |  | - €      |
| Contact K17/A (closes when limit ist fallen below) | 1 |  |  |  |  | 123,00 € |
| Contact K17/B (opens when limit is fallen below)   | 2 |  |  |  |  | 123,00 € |
| 2 contacts K17/A                                   | 3 |  |  |  |  | 246,00 € |
| 2 contacts K17/B                                   | 4 |  |  |  |  | 246,00 € |
| 1 per contact K17/A and K17/B                      | 6 |  |  |  |  | 246,00 € |
| Changeover contact K33                             | 5 |  |  |  |  | 248,00 € |
| Changeover contact K33 i                           | 7 |  |  |  |  | 299,00 € |

## FVA Tubux M 30 - 60 - variable area meter Glass flow tube

7ME5812 - 

|   |  |  |  |  |
|---|--|--|--|--|
| 4 |  |  |  |  |
|---|--|--|--|--|

 - 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 price

### Connection Size

|                            |        |        |            |
|----------------------------|--------|--------|------------|
| PVC adhesive bushing DN 25 | ↑<br>A | ↑<br>A | on request |
| PVDF welded sleeve         | A      | B      | on request |

### Female thread DIN ISO 228

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | C | 39,00 € |
| material stainless steel | D | - €     |
| G 1/2                    | D | 39,00 € |
| G 3/4                    | E | 19,00 € |
| G 1                      | F | - €     |

### Female thread NPT

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | F | 39,00 € |
| material stainless steel | G | - €     |
| NPT 1/2"                 | D | 39,00 € |
| NPT 3/4"                 | E | 39,00 € |
| NPT 1"                   | F | 39,00 € |

### hose bushing

|                          |   |          |
|--------------------------|---|----------|
| material PVDF            | H | 20,00 €  |
| material stainless steel | J | - €      |
| LW 13 (1/2")             | C | 139,00 € |
| LW 19 (3/4")             | D | 139,00 € |
| LW 25 (1")               | E | 139,00 € |
| LW 32 (1 1/4")           | F | 139,00 € |
| LW 38 (1 1/2")           | G | 139,00 € |

### flange connection EN 1092-1

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | K | on request |
| material PVDF build length 500mm            | L | on request |
| material stainless steel build length 425mm | M | - €        |
| material stainless steel build length 500mm | N | 57,00 €    |
| DN 25 PN 40                                 | D | 191,00 €   |
| DN 32 PN 40                                 | E | 231,00 €   |
| DN 40 PN 40                                 | F | 241,00 €   |
| DN 50 PN 40                                 | G | 251,00 €   |

### flange connection ASME B16.5

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | P | on request |
| material PVDF build length 500mm            | Q | on request |
| material stainless steel build length 425mm | R | - €        |
| material stainless steel build length 500mm | S | 57,00 €    |
| 1" ANSI 150 RF                              | D | 191,00 €   |
| 1 1/4" ANSI 150 RF                          | E | 231,00 €   |
| 1 1/2" ANSI 150 RF                          | F | 241,00 €   |
| 2" ANSI 150 RF                              | G | 251,00 €   |

### Further designs

|   |     |            |
|---|-----|------------|
| With calibration certificate                    | B06 | 74,00 €    |
| label in English                                | B11 | - €        |
| certificate 2.1 nach EN10204                    | C05 | on request |
| pressure test 2.1 EN10204                       | C07 | 20,00 €    |
| certificate leak tightness EN 10204             | C09 | 59,00 €    |
| certificate material connection stainless steel | C12 | - €        |
| ATEXT certificate                               | C15 | on request |
| shatter protection                              | S05 | 64,00 €    |
| float buffer in stainless steel                 | S06 | on request |
| Measured medium                                 | Y01 | 298,00 €   |
| With engraved scale (>90°C)                     | Y02 | 308,00 €   |
| Special scale (1% accuracy)                     | Y03 | - €        |
| Silicone-free version                           | Y04 | - €        |
| water as measured medium                        | Y05 | 48,00 €    |
| cleaning  | Y07 | on request |
| TAG shield                                      | Y17 | 52,00 €    |

## FVA Tubux M 30 - 90 - variable area meter Glass flow tube

7ME5812 - 5 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 - 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 price

### Flow tube size

|              |   |  |   |   |
|--------------|---|--|---|---|
| size C 4000  | B |  | - | € |
| size C 5000  | C |  | - | € |
| size C 6500  | D |  | - | € |
| size C 8000  | E |  | - | € |
| size C 10000 | F |  | - | € |

### Float

|                              |   |   |            |   |
|------------------------------|---|---|------------|---|
| W. Nr. 1.4571 / guided       | B | 2 | 362,00     | € |
| W. Nr. 1.4571 / with magnet  | B | 1 | 413,00     | € |
| W. Nr. 1.4571 / SV / guided  | C | 2 | 407,00     | € |
| PVC, weighted                | D | 0 | 399,00     | € |
| PVC, weighted / with magnet  | D | 1 | 424,00     | € |
| PVDF, weighted               | E | 0 | on request |   |
| PVDF, weighted / with magnet | E | 1 | on request |   |
| Aluminium / guided           | F | 2 | 362,00     | € |
| Aluminium / with magnet      | F | 1 | 413,00     | € |
| PVC                          | G | 0 | 360,00     | € |
| PVC / with magnet            | G | 1 | 424,00     | € |
| PVDF                         | H | 0 | on request |   |
| PVDF / with magnet           | H | 1 | on request |   |

### Version

|  |   |  |       |   |
|--|---|--|-------|---|
| sheath tube stainless steel, union nut aluminium       | 1 |  | -     | € |
| sheath tube stainless steel, union nut stainless steel | 2 |  | 93,00 | € |

### gasket material

|       |   |  |            |   |
|-------|---|--|------------|---|
| Viton | 4 |  | -          | € |
| EPDM  | 5 |  | 8,00       | € |
| FFKM  | 6 |  | on request |   |

### Contacts

|  |   |  |        |   |
|--|---|--|--------|---|
| Without contact                                    | 0 |  | -      | € |
| Contact K17/A (closes when limit ist fallen below) | 1 |  | 237,00 | € |
| Contact K17/B (opens when limit is fallen below)   | 2 |  | 237,00 | € |
| 2 contacts K17/A                                   | 3 |  | 253,00 | € |
| 2 contacts K17/B                                   | 4 |  | 263,00 | € |
| 1 per contact K17/A and K17/B                      | 6 |  | 285,00 | € |
| Changeover contact K33                             | 5 |  | 260,00 | € |
| Changeover contact K33 i                           | 7 |  | 286,00 | € |

## FVA Tubux M 30 - 90 - variable area meter Glass flow tube

7ME5812 - 

|   |  |  |  |  |
|---|--|--|--|--|
| 5 |  |  |  |  |
|---|--|--|--|--|

 - 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

 price

### Connection Size

|                            |       |            |
|----------------------------|-------|------------|
| PVC adhesive bushing DN 50 | ↑ A A | on request |
| PVDF welded sleeve         | A B   | on request |

### Female thread DIN ISO 228

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | C | 90,00 € |
| material stainless steel | D | - €     |
| G 1                      | F | 55,00 € |
| G 1 1/4                  | G | 55,00 € |
| G 1 1/2                  | H | - €     |
| G 2                      | J | 55,00 € |

### Female thread NPT

|                          |   |         |
|--------------------------|---|---------|
| material PVDF            | F | 90,00 € |
| material stainless steel | G | - €     |
| NPT 1"                   | F | 55,00 € |
| NPT 1 1/4"               | G | 55,00 € |
| NPT 1 1/2"               | H | 55,00 € |
| NPT 2"                   | J | 55,00 € |

### hose bushing

|                          |   |          |
|--------------------------|---|----------|
| material PVDF            | H | 66,00 €  |
| material stainless steel | J | - €      |
| LW 10 (3/8")             | E | 146,00 € |
| LW 13 (1/2")             | F | 146,00 € |
| LW 10 (3/8")             | G | 96,00 €  |
| LW 13 (1/2")             | H | 146,00 € |

### flange connection EN 1092-1

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | K | on request |
| material PVDF build length 500mm            | L | on request |
| material stainless steel build length 425mm | M | - €        |
| material stainless steel build length 500mm | N | 54,00 €    |
| DN 40 PN 40                                 | F | 271,00 €   |
| DN 50 PN 40                                 | G | 322,00 €   |
| DN 65 PN 16                                 | H | 366,00 €   |
| DN 80 PN 16                                 | J | 424,00 €   |

### flange connection ASME B16.5

|   |   |            |
|---|---|------------|
| material PVDF build length 425mm            | P | on request |
| material PVDF build length 500mm            | Q | on request |
| material stainless steel build length 425mm | R | - €        |
| material stainless steel build length 500mm | S | 54,00 €    |
| 1 1/2" ANSI 150 RF                          | F | 271,00 €   |
| 2" ANSI 150 RF                              | G | 322,00 €   |
| 2 1/2" ANSI 150 RF                          | H | 366,00 €   |
| 3" ANSI 150 RF                              | J | 424,00 €   |

### Further designs

|   |     |            |
|---|-----|------------|
| With calibration certificate                    | B06 | 59,00 €    |
| label in English                                | B11 | - €        |
| certificate 2.1 nach EN10204                    | C05 | 22,00 €    |
| pressure test 2.1 EN10204                       | C07 | 64,00 €    |
| certificate leak tightness EN 10204             | C09 | 72,00 €    |
| certificate material connection stainless steel | C12 | 94,00 €    |
| ATEXT certificate                               | C15 | on request |
| shatter protection                              | S05 | 35,00 €    |
| float buffer in stainless steel                 | S06 | on request |
| Measured medium                                 | Y01 | 48,00 €    |
| With engraved scale (>90°C)                     | Y02 | 90,00 €    |
| Special scale (1% accuracy)                     | Y03 | 52,00 €    |
| Silicone-free version                           | Y04 | 74,00 €    |
| water as measured medium                        | Y05 | - €        |
| cleaning  | Y07 | on request |
| TAG shield                                      | Y17 | 20,00 €    |