

Electromagnetic flow sensor mag-flux A rubber liner in remote Version

MAG57

| | |
|--|--|
| | |
|--|--|

 -

| | | | | | | |
|--|--|--|--|--|--|---|
| | | | | | | 0 |
|--|--|--|--|--|--|---|

 -

| | | | |
|---|--|--|---|
| 0 | | | 0 |
|---|--|--|---|

 price

Design

| | | |
|-----------------|---|-----|
| • remote Design | 2 | - € |
|-----------------|---|-----|

Liner

| | | |
|-----------------------|---|------|
| • Hard rubber | | |
| - Standard VHE/102 | 1 | - € |
| - up to 100°C VHE/109 | 2 | 40 € |
| • Soft rubber | | |
| - Neopren BWE/502 | 5 | 67 € |

Diameter, nominal pressure, connection and connection material

| | | | |
|-------------------------------|---|-----|---------|
| • DN 200 PN 10 DIN 2501 steel | 1 | M A | 1.491 € |
| • DN 250 PN 10 DIN 2501 steel | 1 | N A | 1.684 € |
| • DN 300 PN 10 DIN 2501 steel | 1 | P A | 1.882 € |
| • DN 350 PN 10 DIN 2501 steel | 1 | Q A | 3.244 € |
| • DN 400 PN 10 DIN 2501 steel | 1 | R A | 3.877 € |
| • DN 450 PN 10 DIN 2501 steel | 1 | Y A | 4.155 € |
| • DN 500 PN 10 DIN 2501 steel | 1 | S A | 4.367 € |
| • DN 600 PN 10 DIN 2501 steel | 1 | T A | 4.970 € |
| | | | |
| • DN 65 PN 16 DIN 2501 steel | 2 | G A | 975 € |
| • DN 80 PN 16 DIN 2501 steel | 2 | H A | 1.003 € |
| • DN 100 PN 16 DIN 2501 steel | 2 | J A | 1.070 € |
| • DN 125 PN 16 DIN 2501 steel | 2 | K A | 1.132 € |
| • DN 150 PN 16 DIN 2501 steel | 2 | L A | 1.182 € |
| • DN 200 PN 16 DIN 2501 steel | 2 | M A | 1.765 € |
| • DN 250 PN 16 DIN 2501 steel | 2 | N A | 2.130 € |
| • DN 300 PN 16 DIN 2501 steel | 2 | P A | 2.643 € |
| • DN 350 PN 16 DIN 2501 steel | 2 | Q A | 3.335 € |
| • DN 400 PN 16 DIN 2501 steel | 2 | R A | 3.967 € |
| • DN 450 PN 16 DIN 2501 steel | 2 | Y A | 4.340 € |
| • DN 500 PN 16 DIN 2501 steel | 2 | S A | 4.667 € |
| • DN 600 PN 16 DIN 2501 steel | 2 | T A | 5.426 € |
| | | | |
| • DN 65 PN 25 DIN 2501 steel | 3 | G A | 1.088 € |
| • DN 80 PN 25 DIN 2501 steel | 3 | H A | 1.003 € |
| • DN 100 PN 25 DIN 2501 steel | 3 | J A | 1.263 € |
| • DN 125 PN 25 DIN 2501 steel | 3 | K A | 1.367 € |
| • DN 150 PN 25 DIN 2501 steel | 3 | L A | 1.459 € |
| • DN 200 PN 25 DIN 2501 steel | 3 | M A | 1.898 € |
| • DN 250 PN 25 DIN 2501 steel | 3 | N A | 2.896 € |
| • DN 300 PN 25 DIN 2501 steel | 3 | P A | 3.473 € |
| • DN 350 PN 25 DIN 2501 steel | 3 | Q A | 4.291 € |
| • DN 400 PN 25 DIN 2501 steel | 3 | R A | 4.923 € |
| • DN 450 PN 25 DIN 2501 steel | 3 | Y A | 5.477 € |
| • DN 500 PN 25 DIN 2501 steel | 3 | S A | 5.923 € |
| • DN 600 PN 25 DIN 2501 steel | 3 | T A | 6.865 € |
| | | | |
| • DN 15 PN 40 DIN 2501 steel | 4 | A A | 877 € |
| • DN 25 PN 40 DIN 2501 steel | 4 | C A | 956 € |
| • DN 32 PN 40 DIN 2501 Stahl | 4 | D A | 957 € |
| • DN 40 PN 40 DIN 2501 steel | 4 | E A | 992 € |
| • DN 50 PN 40 DIN 2501 steel | 4 | F A | 932 € |
| • DN 65 PN 40 DIN 2501 steel | 4 | G A | 1.088 € |
| • DN 80 PN 40 DIN 2501 steel | 4 | H A | 1.003 € |

list price

Electromagnetic flow sensor mag-flux A rubber liner in remote Version

MAG57 - 0 - 0 0 price

Diameter, nominal pressure, connection and connection material

| | | | | |
|---|---|-----|---------------|------------|
| • DN 100 PN 40 DIN 2501 steel | 4 | J A | | 1.263 € |
| • DN 125 PN 40 DIN 2501 steel | 4 | K A | | 1.885 € |
| • DN 150 PN 40 DIN 2501 steel | 4 | L A | | 2.228 € |
| • DN 200 PN 40 DIN 2501 steel | 4 | M A | | 2.682 € |
| • DN 250 PN 40 DIN 2501 steel | 4 | N A | | on request |
| • DN 300 PN 40 DIN 2501 steel | 4 | P A | | on request |
| • DN 350 PN 40 DIN 2501 steel | 4 | Q A | | on request |
| • DN 400 PN 40 DIN 2501 steel | 4 | R A | | on request |
| • DN 450 PN 40 DIN 2501 steel | 4 | Y A | | on request |
| • DN 500 PN 40 DIN 2501 steel | 4 | S A | | on request |
| • DN 600 PN 40 DIN 2501 steel | 4 | T A | | on request |
| | | | | |
| • DN 15 PN 40 DIN 2501 stainless steel | 4 | A B | | 925 € |
| • DN 25 PN 40 DIN 2501 stainless steel | 4 | C B | | 1.058 € |
| • DN 32 PN 40 DIN 2501 stainless steel | 4 | D B | | 1.076 € |
| • DN 40 PN 40 DIN 2501 stainless steel | 4 | E B | | 1.067 € |
| • DN 50 PN 40 DIN 2501 stainless steel | 4 | F B | | 1.069 € |
| | | | | |
| • DN 65 PN 16 DIN 2501 stainless steel | 2 | G B | | 1.112 € |
| • DN 80 PN 16 DIN 2501 stainless steel | 2 | H B | | 1.207 € |
| • DN 100 PN 16 DIN 2501 stainless steel | 2 | J B | | 1.290 € |
| • DN 125 PN 16 DIN 2501 stainless steel | 2 | K B | | 1.421 € |
| • DN 150 PN 16 DIN 2501 stainless steel | 2 | L B | | 1.491 € |
| | | | | |
| • DN 200 PN 10 DIN 2501 stainless steel | 1 | M B | | 2.039 € |
| • DN 250 PN 10 DIN 2501 stainless steel | 1 | N B | | 2.297 € |
| • DN 300 PN 10 DIN 2501 stainless steel | 1 | P B | | 2.584 € |
| • DN 350 PN 10 DIN 2501 stainless steel | 1 | Q B | | on request |
| • DN 400 PN 10 DIN 2501 stainless steel | 1 | R B | | on request |
| • DN 450 PN 10 DIN 2501 stainless steel | 1 | Y B | | on request |
| • DN 500 PN 10 DIN 2501 stainless steel | 1 | S B | | on request |
| • DN 600 PN 10 DIN 2501 stainless steel | 1 | T B | | on request |
| | | | | |
| • 1/2" ANSI B16.5 150 RF steel | 2 | A C | pmax 19,6 bar | 877 € |
| • 1" ANSI B16.5 150 RF steel | 2 | C C | pmax 19,6 bar | 956 € |
| • 1 1/4" ANSI B16.5 150 RF steel | 2 | D C | pmax 19,6 bar | 957 € |
| • 1 1/2" ANSI B16.5 150 RF steel | 2 | E C | pmax 19,6 bar | 992 € |
| • 2" ANSI B16.5 150 RF steel | 2 | F C | pmax 19,6 bar | 946 € |
| • 2 1/2" ANSI B16.5 150 RF steel | 2 | G C | pmax 19,6 bar | 1.008 € |
| • 3" ANSI B16.5 150 RF steel | 2 | H C | pmax 19,6 bar | 1.025 € |
| • 4" ANSI B16.5 150 RF steel | 2 | J C | pmax 19,6 bar | 1.111 € |
| • 5" ANSI B16.5 150 RF steel | 2 | K C | pmax 19,6 bar | 1.212 € |
| • 6" ANSI B16.5 150 RF steel | 2 | L C | pmax 19,6 bar | 1.236 € |
| • 8" ANSI B16.5 150 RF steel | 2 | M C | pmax 19,6 bar | 1.590 € |
| • 10" ANSI B16.5 150 RF steel | 2 | N C | pmax 19,6 bar | 1.804 € |
| • 12" ANSI B16.5 150 RF steel | 2 | P C | pmax 19,6 bar | 2.105 € |
| • 14" ANSI B16.5 150 RF steel | 2 | Q C | pmax 19,6 bar | 3.556 € |
| • 16" ANSI B16.5 150 RF steel | 2 | R C | pmax 19,6 bar | 4.347 € |
| • 18" ANSI B16.5 150 RF steel | 2 | Y C | pmax 19,6 bar | 4.751 € |
| • 20" ANSI B16.5 150 RF steel | 2 | S C | pmax 19,6 bar | 5.005 € |
| • 24" ANSI B16.5 150 RF steel | 2 | T C | pmax 19,6 bar | 5.742 € |
| | | | | |
| • other diameter, connection | 9 | Z Z | | on request |

list price

Electromagnetic flow sensor mag-flux A rubber liner in remote Version

MAG57 - 0 - 0 0 price

Electrode material

| | | |
|----------------------------------|----------|-----------|
| • Mat. No. 1.4571 | 1 | 55 € |
| • Hastelloy C4 (mat. No. 2.4610) | 2 | 999.999 € |
| • Titanium | 3 | 999.999 € |

Cable glands

| | | |
|-------------|----------|-------|
| • NPT 1/2" | B | 342 € |
| • M16 x 1,5 | C | 378 € |

Degree of protection

| | | |
|--------------------------------------|----------|-----|
| • IP 67 / NEMA 5 | B | - € |
| • IP 68 / NEMA 6 (cable length 5 m) | C | - € |
| • IP 68 / NEMA 6 (cable length 10 m) | D | - € |

Further designs

| | | |
|------------|---|------------|
| A01 | • earthing electrode made of mat. No. 1.4571(1 piece) up to DN 300 | 188 € |
| A02 | • earthing electrode made of mat. No. 1.4571(2 pieces) above DN 300 | 281 € |
| A03 | • earthing electrode made of mat. No. 2.4610 (1 piece) up to DN 300 | 214 € |
| A04 | • earthing electrode made of mat. No. 2.4610 (2 pieces) above DN 300 | 335 € |
| A05 | • earthing electrode made of titanium (1 piece) up to DN 300 | 188 € |
| A06 | • earthing electrode made of titanium (2 pieces) up to DN 300 | 281 € |
| B06 | • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 50 € |
| B07 | • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 75 € |
| B08 | • with 5-point calibration certificate (up to DN700 bzw. Qmax >= 2000 m3/h) | on request |
| B11 | • tag plate inscription in english | 83 € |
| C12 | • acceptance test B to DIN50049, section 3.1 and EN10204 | 50 € |
| Y04 | • silicone-free materials | - € |
| Y15 | • measuring-point number (max. 16 char.) specify in plain text | - € |
| Y16 | • measuring-point description (max. 27 char.) specify in plain text | - € |
| Y17 | • stainless steel tag plate | - € |

Electromagnetic flow sensor mag-flux A rubber liner in compact version with mag-flux M1

MAG57 - 0 - price

Design

| | | |
|------------------|---|-----|
| • compact Design | 1 | - € |
|------------------|---|-----|




Liner

| | | |
|-----------------------|---|------|
| • Hard rubber | | |
| - Standard VHE/102 | 1 | - € |
| - up to 100°C VHE/109 | 2 | 40 € |
| • Soft rubber | | |
| - Neopren BWE/502 | 5 | 67 € |

Diameter, nominal pressure, connection and connection material

| | | | |
|-------------------------------|---|-----|---------|
| • DN 200 PN 10 DIN 2501 steel | 1 | M A | 1.491 € |
| • DN 250 PN 10 DIN 2501 steel | 1 | N A | 1.684 € |
| • DN 300 PN 10 DIN 2501 steel | 1 | P A | 1.882 € |
| • DN 350 PN 10 DIN 2501 steel | 1 | Q A | 3.244 € |
| • DN 400 PN 10 DIN 2501 steel | 1 | R A | 3.877 € |
| • DN 450 PN 10 DIN 2501 steel | 1 | Y A | 4.155 € |
| • DN 500 PN 10 DIN 2501 steel | 1 | S A | 4.367 € |
| • DN 600 PN 10 DIN 2501 steel | 1 | T A | 4.970 € |
| • DN 65 PN 16 DIN 2501 steel | 2 | G A | 975 € |
| • DN 80 PN 16 DIN 2501 steel | 2 | H A | 1.003 € |
| • DN 100 PN 16 DIN 2501 steel | 2 | J A | 1.070 € |
| • DN 125 PN 16 DIN 2501 steel | 2 | K A | 1.132 € |
| • DN 150 PN 16 DIN 2501 steel | 2 | L A | 1.182 € |
| • DN 200 PN 16 DIN 2501 steel | 2 | M A | 1.765 € |
| • DN 250 PN 16 DIN 2501 steel | 2 | N A | 2.130 € |
| • DN 300 PN 16 DIN 2501 steel | 2 | P A | 2.643 € |
| • DN 350 PN 16 DIN 2501 steel | 2 | Q A | 3.335 € |
| • DN 400 PN 16 DIN 2501 steel | 2 | R A | 3.967 € |
| • DN 450 PN 16 DIN 2501 steel | 2 | Y A | 4.340 € |
| • DN 500 PN 16 DIN 2501 steel | 2 | S A | 4.667 € |
| • DN 600 PN 16 DIN 2501 steel | 2 | T A | 5.426 € |
| • DN 65 PN 25 DIN 2501 steel | 3 | G A | 1.088 € |
| • DN 80 PN 25 DIN 2501 steel | 3 | H A | 1.003 € |
| • DN 100 PN 25 DIN 2501 steel | 3 | J A | 1.263 € |
| • DN 125 PN 25 DIN 2501 steel | 3 | K A | 1.367 € |
| • DN 150 PN 25 DIN 2501 steel | 3 | L A | 1.459 € |
| • DN 200 PN 25 DIN 2501 steel | 3 | M A | 1.898 € |
| • DN 250 PN 25 DIN 2501 steel | 3 | N A | 2.896 € |
| • DN 300 PN 25 DIN 2501 steel | 3 | P A | 3.473 € |
| • DN 350 PN 25 DIN 2501 steel | 3 | Q A | 4.291 € |
| • DN 400 PN 25 DIN 2501 steel | 3 | R A | 4.923 € |
| • DN 450 PN 25 DIN 2501 steel | 3 | Y A | 5.477 € |
| • DN 500 PN 25 DIN 2501 steel | 3 | S A | 5.923 € |
| • DN 600 PN 25 DIN 2501 steel | 3 | T A | 6.865 € |
| • DN 15 PN 40 DIN 2501 steel | 4 | A A | 877 € |
| • DN 25 PN 40 DIN 2501 steel | 4 | C A | 956 € |
| • DN 32 PN 40 DIN 2501 Stahl | 4 | D A | 957 € |
| • DN 40 PN 40 DIN 2501 steel | 4 | E A | 992 € |
| • DN 50 PN 40 DIN 2501 steel | 4 | F A | 932 € |
| • DN 65 PN 40 DIN 2501 steel | 4 | G A | 1.088 € |
| • DN 80 PN 40 DIN 2501 steel | 4 | H A | 1.003 € |

Electromagnetic flow sensor mag-flux A
rubber liner in compact version with mag-flux M1

MAG57  -  0 -  price

Diameter, nominal pressure, connection and connection material

| | | | | |
|---|---|-----|---------------|-------------|
| • DN 100 PN 40 DIN 2501 steel | 4 | J A | | 1.263 € |
| • DN 125 PN 40 DIN 2501 steel | 4 | K A | | 1.885 € |
| • DN 150 PN 40 DIN 2501 steel | 4 | L A | | 2.228 € |
| • DN 200 PN 40 DIN 2501 steel | 4 | M A | | 2.682 € |
| • DN 250 PN 40 DIN 2501 steel | 4 | N A | | Auf Anfrage |
| • DN 300 PN 40 DIN 2501 steel | 4 | P A | | Auf Anfrage |
| • DN 350 PN 40 DIN 2501 steel | 4 | Q A | | Auf Anfrage |
| • DN 400 PN 40 DIN 2501 steel | 4 | R A | | Auf Anfrage |
| • DN 450 PN 40 DIN 2501 steel | 4 | Y A | | Auf Anfrage |
| • DN 500 PN 40 DIN 2501 steel | 4 | S A | | Auf Anfrage |
| • DN 600 PN 40 DIN 2501 steel | 4 | T A | | Auf Anfrage |
| | | | | |
| • DN 15 PN 40 DIN 2501 stainless steel | 4 | A B | | 925 € |
| • DN 25 PN 40 DIN 2501 stainless steel | 4 | C B | | 1.058 € |
| • DN 32 PN 40 DIN 2501 stainless steel | 4 | D B | | 1.076 € |
| • DN 40 PN 40 DIN 2501 stainless steel | 4 | E B | | 1.067 € |
| • DN 50 PN 40 DIN 2501 stainless steel | 4 | F B | | 1.069 € |
| | | | | |
| • DN 65 PN 16 DIN 2501 stainless steel | 2 | G B | | 1.112 € |
| • DN 80 PN 16 DIN 2501 stainless steel | 2 | H B | | 1.207 € |
| • DN 100 PN 16 DIN 2501 stainless steel | 2 | J B | | 1.290 € |
| • DN 125 PN 16 DIN 2501 stainless steel | 2 | K B | | 1.421 € |
| • DN 150 PN 16 DIN 2501 stainless steel | 2 | L B | | 1.491 € |
| | | | | |
| • DN 200 PN 10 DIN 2501 stainless steel | 1 | M B | | 2.039 € |
| • DN 250 PN 10 DIN 2501 stainless steel | 1 | N B | | 2.297 € |
| • DN 300 PN 10 DIN 2501 stainless steel | 1 | P B | | 2.584 € |
| • DN 350 PN 10 DIN 2501 stainless steel | 1 | Q B | | Auf Anfrage |
| • DN 400 PN 10 DIN 2501 stainless steel | 1 | R B | | Auf Anfrage |
| • DN 450 PN 10 DIN 2501 stainless steel | 1 | Y B | | Auf Anfrage |
| • DN 500 PN 10 DIN 2501 stainless steel | 1 | S B | | Auf Anfrage |
| • DN 600 PN 10 DIN 2501 stainless steel | 1 | T B | | Auf Anfrage |
| | | | | |
| • 1/2" ANSI B16.5 150 RF steel | 2 | A C | pmax 19,6 bar | 877 € |
| • 1" ANSI B16.5 150 RF steel | 2 | C C | pmax 19,6 bar | 956 € |
| • 1 1/4" ANSI B16.5 150 RF steel | 2 | D C | pmax 19,6 bar | 957 € |
| • 1 1/2" ANSI B16.5 150 RF steel | 2 | E C | pmax 19,6 bar | 992 € |
| • 2" ANSI B16.5 150 RF steel | 2 | F C | pmax 19,6 bar | 946 € |
| • 2 1/2" ANSI B16.5 150 RF steel | 2 | G C | pmax 19,6 bar | 1.008 € |
| • 3" ANSI B16.5 150 RF steel | 2 | H C | pmax 19,6 bar | 1.025 € |
| • 4" ANSI B16.5 150 RF steel | 2 | J C | pmax 19,6 bar | 1.111 € |
| • 5" ANSI B16.5 150 RF steel | 2 | K C | pmax 19,6 bar | 1.212 € |
| • 6" ANSI B16.5 150 RF steel | 2 | L C | pmax 19,6 bar | 1.236 € |
| • 8" ANSI B16.5 150 RF steel | 2 | M C | pmax 19,6 bar | 1.590 € |
| • 10" ANSI B16.5 150 RF steel | 2 | N C | pmax 19,6 bar | 1.804 € |
| • 12" ANSI B16.5 150 RF steel | 2 | P C | pmax 19,6 bar | 2.105 € |
| • 14" ANSI B16.5 150 RF steel | 2 | Q C | pmax 19,6 bar | 3.556 € |
| • 16" ANSI B16.5 150 RF steel | 2 | R C | pmax 19,6 bar | 4.347 € |
| • 18" ANSI B16.5 150 RF steel | 2 | Y C | pmax 19,6 bar | 4.751 € |
| • 20" ANSI B16.5 150 RF steel | 2 | S C | pmax 19,6 bar | 5.005 € |
| • 24" ANSI B16.5 150 RF steel | 2 | T C | pmax 19,6 bar | 5.742 € |
| | | | | |
| • other diameter, connection | 9 | Z Z | | Auf Anfrage |

Electromagnetic flow sensor mag-flux A
rubber liner in compact version with mag-flux M1

MAG57 - 0 - price

Electrode material

| | | |
|----------------------------------|----------|-----------|
| • Mat. No. 1.4571 | 1 | 55 € |
| • Hastelloy C4 (mat. No. 2.4610) | 2 | 999.999 € |
| • Titanium | 3 | 999.999 € |

Power supply

| | | |
|------------------------------|----------|-------|
| • 230 V AC, 50/60 Hz / 15 VA | 1 | 705 € |
| • 115 V AC, 50/60 Hz / 15 VA | 2 | 705 € |
| • 18-36 V DC | 3 | 705 € |

Analogue output

| | | |
|------------------------------|----------|-------|
| • 4-20 mA | B | - € |
| • 4-20 mA with HART protocol | C | 167 € |

Operating and display panel

| | | |
|-----------|----------|------|
| • without | A | - € |
| • with | B | 99 € |

Cable glands

| | | |
|-------------|----------|-----|
| • NPT 1/2" | 1 | - € |
| • M16 x 1,5 | 2 | - € |

Further designs

| | | |
|------------|---|-------------|
| A01 | • earthing electrode made of mat. No. 1.4571(1 piece) up to DN 300 | 188 € |
| A02 | • earthing electrode made of mat. No. 1.4571(2 pieces) above DN 300 | 281 € |
| A03 | • earthing electrode made of mat. No. 2.4610 (1 piece) up to DN 300 | 214 € |
| A04 | • earthing electrode made of mat. No. 2.4610 (2 pieces) above DN 300 | 335 € |
| A05 | • earthing electrode made of titanium (1 piece) up to DN 300 | 188 € |
| A06 | • earthing electrode made of titanium (2 pieces) up to DN 300 | 281 € |
| B06 | • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 50 € |
| B07 | • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 75 € |
| B08 | • with 5-point calibration certificate (up to DN700 bzw. Qmax >= 2000 m3/h) | Auf Anfrage |
| B11 | • tag plate inscription in english | 83 € |
| C12 | • acceptance test B to DIN50049, section 3.1 and EN10204 | 50 € |
| Y01 | • measuring range: 0 to ... M3/h specify in plain text | - € |
| Y04 | • silicone-free materials | - € |
| Y15 | • measuring-point number (max. 16 char.) specify in plain text | - € |
| Y16 | • measuring-point description (max. 27 char.) specify in plain text | - € |
| Y17 | • stainless steel tag plate | - € |

Electromagnetic flow sensor mag-flux A
PTFE liner in compact version with mag-flux M1

MAG570 - 0 - price

Design

| | | | |
|------------------|---|---|-------|
| • compact Design | 1 | - | 157 € |
|------------------|---|---|-------|

Diameter, nominal pressure, connection and connection material

| | | | |
|-------------------------------|---|-----|---------|
| • DN 200 PN 10 DIN 2501 steel | 1 | M A | 1.820 € |
| • DN 250 PN 10 DIN 2501 steel | 1 | N A | 2.427 € |
| • DN 300 PN 10 DIN 2501 steel | 1 | P A | 2.911 € |
| • DN 350 PN 10 DIN 2501 steel | 1 | Q A | 4.284 € |
| • DN 400 PN 10 DIN 2501 steel | 1 | R A | 5.112 € |
| • DN 450 PN 10 DIN 2501 steel | 1 | Y A | 5.811 € |
| • DN 500 PN 10 DIN 2501 steel | 1 | S A | 6.358 € |
| • DN 600 PN 10 DIN 2501 steel | 1 | T A | 7.705 € |
| | | | |
| • DN 65 PN 16 DIN 2501 steel | 2 | G A | 847 € |
| • DN 80 PN 16 DIN 2501 steel | 2 | H A | 904 € |
| • DN 100 PN 16 DIN 2501 steel | 2 | J A | 1.012 € |
| • DN 125 PN 16 DIN 2501 steel | 2 | K A | 1.107 € |
| • DN 150 PN 16 DIN 2501 steel | 2 | L A | 1.229 € |
| • DN 200 PN 16 DIN 2501 steel | 2 | M A | 2.199 € |
| • DN 250 PN 16 DIN 2501 steel | 2 | N A | 2.832 € |
| • DN 300 PN 16 DIN 2501 steel | 2 | P A | 3.735 € |
| • DN 350 PN 16 DIN 2501 steel | 2 | Q A | 4.374 € |
| • DN 400 PN 16 DIN 2501 steel | 2 | R A | 5.202 € |
| • DN 450 PN 16 DIN 2501 steel | 2 | Y A | 5.957 € |
| • DN 500 PN 16 DIN 2501 steel | 2 | S A | 6.658 € |
| • DN 600 PN 16 DIN 2501 steel | 2 | T A | 8.160 € |
| | | | |
| • DN 65 PN 25 DIN 2501 steel | 3 | G A | 954 € |
| • DN 80 PN 25 DIN 2501 steel | 3 | H A | 904 € |
| • DN 100 PN 25 DIN 2501 steel | 3 | J A | 1.226 € |
| • DN 125 PN 25 DIN 2501 steel | 3 | K A | 1.269 € |
| • DN 150 PN 25 DIN 2501 steel | 3 | L A | 1.475 € |
| • DN 200 PN 25 DIN 2501 steel | 3 | M A | 2.348 € |
| • DN 250 PN 25 DIN 2501 steel | 3 | N A | 3.270 € |
| • DN 300 PN 25 DIN 2501 steel | 3 | P A | 4.188 € |
| • DN 350 PN 25 DIN 2501 steel | 3 | Q A | 5.330 € |
| • DN 400 PN 25 DIN 2501 steel | 3 | R A | 6.158 € |
| • DN 450 PN 25 DIN 2501 steel | 3 | Y A | 7.142 € |
| • DN 500 PN 25 DIN 2501 steel | 3 | S A | 7.914 € |
| • DN 600 PN 25 DIN 2501 steel | 3 | T A | 9.600 € |
| | | | |
| • DN 15 PN 40 DIN 2501 steel | 4 | A A | 678 € |
| • DN 25 PN 40 DIN 2501 steel | 4 | C A | 704 € |
| • DN 32 PN 40 DIN 2501 Stahl | 4 | D A | 733 € |
| • DN 40 PN 40 DIN 2501 steel | 4 | E A | 744 € |
| • DN 50 PN 40 DIN 2501 steel | 4 | F A | 767 € |
| • DN 65 PN 40 DIN 2501 steel | 4 | G A | 954 € |
| • DN 80 PN 40 DIN 2501 steel | 4 | H A | 904 € |

Electromagnetic flow sensor mag-flux A PTFE liner in remote version with mag-flux M1

MAG570 - 0 - 00 price

Design

- remote design 157 €

Diameter, nominal pressure, connection and connection material

| | | | |
|-------------------------------|---|-----|---------|
| • DN 200 PN 10 DIN 2501 steel | 1 | M A | 1.820 € |
| • DN 250 PN 10 DIN 2501 steel | 1 | N A | 2.427 € |
| • DN 300 PN 10 DIN 2501 steel | 1 | P A | 2.911 € |
| • DN 350 PN 10 DIN 2501 steel | 1 | Q A | 4.284 € |
| • DN 400 PN 10 DIN 2501 steel | 1 | R A | 5.112 € |
| • DN 450 PN 10 DIN 2501 steel | 1 | Y A | 5.811 € |
| • DN 500 PN 10 DIN 2501 steel | 1 | S A | 6.358 € |
| • DN 600 PN 10 DIN 2501 steel | 1 | T A | 7.705 € |
| • DN 65 PN 16 DIN 2501 steel | 2 | G A | 847 € |
| • DN 80 PN 16 DIN 2501 steel | 2 | H A | 904 € |
| • DN 100 PN 16 DIN 2501 steel | 2 | J A | 1.012 € |
| • DN 125 PN 16 DIN 2501 steel | 2 | K A | 1.107 € |
| • DN 150 PN 16 DIN 2501 steel | 2 | L A | 1.229 € |
| • DN 200 PN 16 DIN 2501 steel | 2 | M A | 2.199 € |
| • DN 250 PN 16 DIN 2501 steel | 2 | N A | 2.832 € |
| • DN 300 PN 16 DIN 2501 steel | 2 | P A | 3.735 € |
| • DN 350 PN 16 DIN 2501 steel | 2 | Q A | 4.374 € |
| • DN 400 PN 16 DIN 2501 steel | 2 | R A | 5.202 € |
| • DN 450 PN 16 DIN 2501 steel | 2 | Y A | 5.957 € |
| • DN 500 PN 16 DIN 2501 steel | 2 | S A | 6.658 € |
| • DN 600 PN 16 DIN 2501 steel | 2 | T A | 8.160 € |
| • DN 65 PN 25 DIN 2501 steel | 3 | G A | 954 € |
| • DN 80 PN 25 DIN 2501 steel | 3 | H A | 904 € |
| • DN 100 PN 25 DIN 2501 steel | 3 | J A | 1.226 € |
| • DN 125 PN 25 DIN 2501 steel | 3 | K A | 1.269 € |
| • DN 150 PN 25 DIN 2501 steel | 3 | L A | 1.475 € |
| • DN 200 PN 25 DIN 2501 steel | 3 | M A | 2.348 € |
| • DN 250 PN 25 DIN 2501 steel | 3 | N A | 3.270 € |
| • DN 300 PN 25 DIN 2501 steel | 3 | P A | 4.188 € |
| • DN 350 PN 25 DIN 2501 steel | 3 | Q A | 5.330 € |
| • DN 400 PN 25 DIN 2501 steel | 3 | R A | 6.158 € |
| • DN 450 PN 25 DIN 2501 steel | 3 | Y A | 7.142 € |
| • DN 500 PN 25 DIN 2501 steel | 3 | S A | 7.914 € |
| • DN 600 PN 25 DIN 2501 steel | 3 | T A | 9.600 € |
| • DN 15 PN 40 DIN 2501 steel | 4 | A A | 678 € |
| • DN 25 PN 40 DIN 2501 steel | 4 | C A | 704 € |
| • DN 32 PN 40 DIN 2501 Stahl | 4 | D A | 733 € |
| • DN 40 PN 40 DIN 2501 steel | 4 | E A | 744 € |
| • DN 50 PN 40 DIN 2501 steel | 4 | F A | 767 € |
| • DN 65 PN 40 DIN 2501 steel | 4 | G A | 954 € |
| • DN 80 PN 40 DIN 2501 steel | 4 | H A | 904 € |

Electromagnetic flow sensor mag-flux A PTFE liner in remote version with mag-flux M1

MAG50 - 0 - 00

price

Diameter, nominal pressure, connection and connection material

| | | | | |
|---|---|-----|---------------|------------|
| • DN 100 PN 40 DIN 2501 steel | 4 | J A | | 1.226 € |
| • DN 125 PN 40 DIN 2501 steel | 4 | K A | | 2.066 € |
| • DN 150 PN 40 DIN 2501 steel | 4 | L A | | 2.263 € |
| • DN 200 PN 40 DIN 2501 steel | 4 | M A | | 3.208 € |
| • DN 250 PN 40 DIN 2501 steel | 4 | N A | | 4.767 € |
| • DN 300 PN 40 DIN 2501 steel | 4 | P A | | 5.570 € |
| • DN 350 PN 40 DIN 2501 steel | 4 | Q A | | on request |
| • DN 400 PN 40 DIN 2501 steel | 4 | R A | | on request |
| • DN 450 PN 40 DIN 2501 steel | 4 | Y A | | on request |
| • DN 500 PN 40 DIN 2501 steel | 4 | S A | | on request |
| • DN 600 PN 40 DIN 2501 steel | 4 | T A | | on request |
| | | | | |
| • DN 15 PN 40 DIN 2501 stainless steel | 4 | A B | | 726 € |
| • DN 25 PN 40 DIN 2501 stainless steel | 4 | C B | | 804 € |
| • DN 32 PN 40 DIN 2501 stainless steel | 4 | D B | | 852 € |
| • DN 40 PN 40 DIN 2501 stainless steel | 4 | E B | | 869 € |
| • DN 50 PN 40 DIN 2501 stainless steel | 4 | F B | | 899 € |
| | | | | |
| • DN 65 PN 16 DIN 2501 stainless steel | 2 | G B | | 984 € |
| • DN 80 PN 16 DIN 2501 stainless steel | 2 | H B | | 1.109 € |
| • DN 100 PN 16 DIN 2501 stainless steel | 2 | J B | | 1.233 € |
| • DN 125 PN 16 DIN 2501 stainless steel | 2 | K B | | 1.396 € |
| • DN 150 PN 16 DIN 2501 stainless steel | 2 | L B | | 1.898 € |
| | | | | |
| • DN 200 PN 10 DIN 2501 stainless steel | 1 | M B | | 2.211 € |
| • DN 250 PN 10 DIN 2501 stainless steel | 1 | N B | | 2.884 € |
| • DN 300 PN 10 DIN 2501 stainless steel | 1 | P B | | 3.791 € |
| • DN 350 PN 10 DIN 2501 stainless steel | 1 | Q B | | on request |
| • DN 400 PN 10 DIN 2501 stainless steel | 1 | R B | | on request |
| • DN 450 PN 10 DIN 2501 stainless steel | 1 | Y B | | on request |
| • DN 500 PN 10 DIN 2501 stainless steel | 1 | S B | | on request |
| • DN 600 PN 10 DIN 2501 stainless steel | 1 | T B | | on request |
| | | | | |
| • 1/2" ANSI B16.5 150 RF steel | 2 | A C | pmax 19,6 bar | 678 € |
| • 1" ANSI B16.5 150 RF steel | 2 | C C | pmax 19,6 bar | 680 € |
| • 1 1/4" ANSI B16.5 150 RF steel | 2 | D C | pmax 19,6 bar | 704 € |
| • 1 1/2" ANSI B16.5 150 RF steel | 2 | E C | pmax 19,6 bar | 733 € |
| • 2" ANSI B16.5 150 RF steel | 2 | F C | pmax 19,6 bar | 744 € |
| • 2 1/2" ANSI B16.5 150 RF steel | 2 | G C | pmax 19,6 bar | 776 € |
| • 3" ANSI B16.5 150 RF steel | 2 | H C | pmax 19,6 bar | 874 € |
| • 4" ANSI B16.5 150 RF steel | 2 | J C | pmax 19,6 bar | 926 € |
| • 5" ANSI B16.5 150 RF steel | 2 | K C | pmax 19,6 bar | 1.053 € |
| • 6" ANSI B16.5 150 RF steel | 2 | L C | pmax 19,6 bar | 1.180 € |
| • 8" ANSI B16.5 150 RF steel | 2 | M C | pmax 19,6 bar | 1.283 € |
| • 10" ANSI B16.5 150 RF steel | 2 | N C | pmax 19,6 bar | 1.925 € |
| • 12" ANSI B16.5 150 RF steel | 2 | P C | pmax 19,6 bar | 2.555 € |
| • 14" ANSI B16.5 150 RF steel | 2 | Q C | pmax 19,6 bar | 3.167 € |
| • 16" ANSI B16.5 150 RF steel | 2 | R C | pmax 19,6 bar | 4.595 € |
| • 18" ANSI B16.5 150 RF steel | 2 | Y C | pmax 19,6 bar | 5.581 € |
| • 20" ANSI B16.5 150 RF steel | 2 | S C | pmax 19,6 bar | 6.491 € |
| • 24" ANSI B16.5 150 RF steel | 2 | T C | pmax 19,6 bar | 6.995 € |
| | | | | |
| • other diameter, connection | 9 | Z Z | | on request |

Electromagnetic flow sensor mag-flux F5

MAG561 - - price

Design

| | | |
|---------------------------|---|-------|
| • remote, alternate field | 3 | 210 € |
| • remote, constant field | 4 | - € |

Nominal diameter

| | | |
|---------|---|---------|
| • DN 2 | D | 1.245 € |
| • DN 4 | E | 1.204 € |
| • DN 8 | F | 1.279 € |
| • DN 12 | G | 1.250 € |

Connection and connection material

| | | |
|--|---|------------|
| G 1/2, mat. no. 1.4571 | A | - € |
| G 1/2 Hastelloy C4 | B | 268 € |
| G 1/2 PVDF with earthing rings made of Hastelloy C4 | C | 193 € |
| G 1/2 Titanium | S | 325 € |
| NPT 1/2, mat. no. 1.4571 | D | 87 € |
| NPT 1/2 Hastelloy C4 | E | 268 € |
| NPT 1/2 PVDF with earthing rings made of Hastelloy C4 | F | 193 € |
| DN 15, PN 25 mat. no. 1.4571 | H | 225 € |
| DN 15, PN 25 Hastelloy C4 | J | 945 € |
| DN 15, PN 16 PVDF with earthing rings made of Hastelloy C4 | K | 335 € |
| 1/2 Tri-Clamp, mat. no. 1.4571 | L | 107 € |
| 1 Tri-Clamp, mat. no. 1.4571 | N | 208 € |
| 1/2" ANSI RF, mat. no. 1.4571 | Q | 333 € |
| 1/2" ANSI 150 RF, PVDF with Hastelloy C4 earthing rings | T | 335 € |
| other connections | Z | on request |

Gasket material

| | | |
|----------|---|-------|
| • EPDM | 2 | - € |
| • Kalrez | 3 | 180 € |

Wall mount

| | | |
|-----------|---|-------|
| • without | 0 | - € |
| • with | 1 | 120 € |

Cable glands

| | | |
|------------|---|-----|
| • NPT | C | - € |
| • M16x 1,5 | B | - € |

Degree of protection

| | | |
|-------------------------------------|---|-------|
| • IP 67 / NEMA 5 | B | - € |
| • IP 68 / NEMA 6 (cable length 5 m) | C | 342 € |
| • IP 68 / NEMA 6 (cable length 5 m) | D | 378 € |

Electromagnetic flow sensor
mag-flux F5

 MAG561 - - price
Further designs

| | | |
|------------|---|-------|
| A10 | • Measuring range < 10 l/h | 175 € |
| B06 | • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 50 € |
| B07 | • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 75 € |
| B11 | • tag plate inscription in english | - € |
| Y04 | • silicone-free materials | 87 € |
| Y17 | • stainless steel tag plate | 50 € |

Electromagnetic flow sensor mag-flux F4

| | MAG562 | 4 | - | 0 | D | 0 | E | - | 0 | A | 0 | B | price |
|--|--------|---|---|---|---|---|---|---|---|---|---|---|---------|
| Design | | 4 | | | | | | | | | | | - € |
| • remote, constant field | | | | | | | | | | | | | |
| Nominal diameter | | | | | D | | E | | | | | | 1.885 € |
| • DN 2 incl. 15m Cabel | | | | | | | | | | | | | 1.885 € |
| • DN 4 incl. 15m Cabel | | | | | | | | | | | | | |
| Connection and connection material | | | | | | A | | | | | | | - € |
| G 1/8, mat. no. 1.4571 | | | | | | | | | | | | | |
| Gasket material | | | | | | | | | 2 | | | | - € |
| • Viton (FKM) | | | | | | | | | | | | | |
| • FFKM | | | | | | | | | 3 | | | | 180 € |
| Degree of protection | | | | | | | | | | | | B | - € |
| • IP 65 / NEMA 4 | | | | | | | | | | | | | |
| Further designs | | | | | | | | | | | | | |
| A10 • Measuring range < 10 l/h | | | | | | | | | | | | | 175 € |
| B06 • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | | | | | | | | | | | | | 50 € |
| B07 • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | | | | | | | | | | | | | 75 € |
| B11 • tag plate inscription in english | | | | | | | | | | | | | - € |
| Y04 • silicone-free materials | | | | | | | | | | | | | 87 € |
| Y17 • stainless steel tag plate | | | | | | | | | | | | | 50 € |

Electromagnetic flow sensor mag-flux S

MAG5410 - 1 0 - 0 A 0 price

Metering tube materials and nominal diameters

| | | |
|--|-----|-------|
| • Metering tube made of PVC, DN 15 | 1 D | 424 € |
| • Metering tube made of PVC, DN 20 | 1 E | 424 € |
| • Metering tube made of PVC, DN 25 / ANSI 1 | 1 F | 424 € |
| • Metering tube made of PVC, DN 32 / ANSI 1 1/4 | 1 G | 483 € |
| • Metering tube made of PVC, DN 40 / ANSI 1 1/2 | 1 H | 483 € |
| • Metering tube made of PVC, DN 50 / ANSI 2 | 1 J | 506 € |
| • Metering tube made of PVC, DN 65 / ANSI 2 1/2 | 1 K | 610 € |
| • Metering tube made of PVC, DN 80 / ANSI 3 | 1 L | 610 € |
| • Metering tube made of PVC, DN 100 / ANSI 4 | 1 M | 657 € |
| • Metering tube made of PVDF, DN 15 | 2 D | 448 € |
| • Metering tube made of PVDF, DN 20 | 2 E | 448 € |
| • Metering tube made of PVDF, DN 25 / ANSI 1 | 2 F | 448 € |
| • Metering tube made of PVDF, DN 32 / ANSI 1 1/4 | 2 G | 564 € |
| • Metering tube made of PVDF, DN 40 / ANSI 1 1/2 | 2 H | 576 € |
| • Metering tube made of PVDF, DN 50 / ANSI 2 | 2 J | 634 € |
| • Metering tube made of PVDF, DN 65 / ANSI 2 1/2 | 2 K | 790 € |
| • Metering tube made of PVDF, DN 80 / ANSI 3 | 2 L | 820 € |
| • Metering tube made of PVDF, DN 100 / ANSI 4 | 2 M | 959 € |

Centering assembly

| | | |
|--|---|-------|
| • without | A | - € |
| • centering assembly steel, DN 15 | B | 53 € |
| • centering assembly steel, DN 20 | C | 59 € |
| • centering assembly steel, DN 25 | D | 61 € |
| • centering assembly steel, DN 32 | E | 84 € |
| • centering assembly steel, DN 40 | F | 92 € |
| • centering assembly steel, DN 50 | G | 92 € |
| • centering assembly steel, DN 65 | H | 117 € |
| • centering assembly steel, DN 80 | J | 265 € |
| • centering assembly steel, DN 100 | K | 270 € |
| • centering assembly stainless steel, DN 15 | L | 84 € |
| • centering assembly stainless steel, DN 20 | M | 87 € |
| • centering assembly stainless steel, DN 25 | N | 89 € |
| • centering assembly stainless steel, DN 32 | P | 128 € |
| • centering assembly stainless steel, DN 40 | Q | 128 € |
| • centering assembly stainless steel, DN 50 | R | 137 € |
| • centering assembly stainless steel, DN 65 | S | 226 € |
| • centering assembly stainless steel, DN 80 | T | 477 € |
| • centering assembly stainless steel, DN 100 | U | 483 € |

Degree of protection

| | | |
|-------------------------------------|---|------|
| • IP 67 / NEMA 5 (cable length 5 m) | B | - € |
| • IP 68 / NEMA 6 (cable length 5 m) | C | 33 € |

Further designs:

| | |
|--|-------|
| B06 • with 3- point calibration certificate | 70 € |
| B07 • with 6- point calibration certificate | 116 € |
| B11 • TAG plate inscription in english | - € |
| Y04 • Silicone-free materials | 37 € |
| Y17 • TAG plate stainless steel | 26 € |

**Electromagnetic flow sensor
mag-flux S compact with mag-flux M1**

MAG5411 -

| | | | | |
|--|--|--|---|---|
| | | | 1 | 0 |
|--|--|--|---|---|

 -

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 price

Metering tube materials and nominal diameters

| | | |
|--|------------|-------|
| • Metering tube made of PVC, DN 25 / ANSI 1 | 1 F | 424 € |
| • Metering tube made of PVC, DN 32 / ANSI 1 1/4 | 1 G | 483 € |
| • Metering tube made of PVC, DN 40 / ANSI 1 1/2 | 1 H | 483 € |
| • Metering tube made of PVC, DN 50 / ANSI 2 | 1 J | 506 € |
| • Metering tube made of PVC, DN 65 / ANSI 2 1/2 | 1 K | 610 € |
| • Metering tube made of PVC, DN 80 / ANSI 3 | 1 L | 610 € |
| • Metering tube made of PVC, DN 100 / ANSI 4 | 1 M | 657 € |
| • Metering tube made of PVDF, DN 25 / ANSI 1 | 2 F | 448 € |
| • Metering tube made of PVDF, DN 32 / ANSI 1 1/4 | 2 G | 564 € |
| • Metering tube made of PVDF, DN 40 / ANSI 1 1/2 | 2 H | 576 € |
| • Metering tube made of PVDF, DN 50 / ANSI 2 | 2 J | 634 € |
| • Metering tube made of PVDF, DN 65 / ANSI 2 1/2 | 2 K | 790 € |
| • Metering tube made of PVDF, DN 80 / ANSI 3 | 2 L | 820 € |
| • Metering tube made of PVDF, DN 100 / ANSI 4 | 2 M | 959 € |

Centering assembly

| | | |
|--|----------|-------|
| • without | A | - € |
| • centering assembly steel, DN 15 | B | 53 € |
| • centering assembly steel, DN 20 | C | 59 € |
| • centering assembly steel, DN 25 | D | 61 € |
| • centering assembly steel, DN 32 | E | 84 € |
| • centering assembly steel, DN 40 | F | 92 € |
| • centering assembly steel, DN 50 | G | 92 € |
| • centering assembly steel, DN 65 | H | 117 € |
| • centering assembly steel, DN 80 | J | 265 € |
| • centering assembly steel, DN 100 | K | 270 € |
| • centering assembly stainless steel, DN 15 | L | 84 € |
| • centering assembly stainless steel, DN 20 | M | 87 € |
| • centering assembly stainless steel, DN 25 | N | 89 € |
| • centering assembly stainless steel, DN 32 | P | 128 € |
| • centering assembly stainless steel, DN 40 | Q | 128 € |
| • centering assembly stainless steel, DN 50 | R | 137 € |
| • centering assembly stainless steel, DN 65 | S | 226 € |
| • centering assembly stainless steel, DN 80 | T | 477 € |
| • centering assembly stainless steel, DN 100 | U | 483 € |

**Electromagnetic flow sensor
 mag-flux S compact with mag-flux M1**

 MAG5411 -

| | | | | |
|--|--|--|---|---|
| | | | 1 | 0 |
|--|--|--|---|---|

 -

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 price
Power supply

| | | |
|------------------------------|---|-------|
| • 230 V AC, 50/60 Hz / 15 VA | 1 | 705 € |
| • 115 V AC, 50/60 Hz / 15 VA | 2 | 705 € |
| • 18-36 V DC | 3 | 705 € |

Analogue output

| | | |
|------------------------------|---|-------|
| • 4-20 mA | B | - € |
| • 4-20 mA with HART protocol | C | 167 € |

Operating and display panel

| | | |
|-----------|---|------|
| • without | A | - € |
| • with | B | 99 € |

Cable glands

| | | |
|-------------|---|-----|
| • NPT 1/2" | 1 | - € |
| • M16 x 1,5 | 2 | - € |

Further designs

| | | |
|------------|---|------|
| B06 | • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 50 € |
| B07 | • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 75 € |
| B11 | • tag plate inscription in english | - € |
| C12 | • acceptance test B to DIN50049, section 3.1 and EN10204 | 83 € |
| Y01 | • measuring range: 0 to ... M3/h specify in plain text | - € |
| Y04 | • silicone-free materials | 87 € |
| Y15 | • measuring-point number | - € |
| Y17 | • stainless steel tag plate | 50 € |

mag-flux-M1
magnetic inductive flow sensor

| MAG5040 - [] [] [] [] 0 - [] [] [] [] | | price |
|---|---|----------|
| Power supply | | |
| 230 V AC, 50/60 Hz / 15 VA | 1 | 705,00 € |
| 115 V AC, 50/60 Hz / 15 VA | 2 | 705,00 € |
| 18-36 V DC | 3 | 705,00 € |
| Analogue output | | |
| 4-20 mA | A | - € |
| 4-20 mA with HART protocol | B | 167,00 € |
| Operating and display panel | | |
| without | A | - € |
| with | B | 99,00 € |
| Cable glands | | |
| M20/M16 x 1,5 | 1 | - € |
| 1/2" - 14 NPT | 2 | - € |
| Design | | |
| remote | 1 | 132,00 € |
| compact | 2 | - € |
| Further designs: | | |
| Please add "-Z" to order no. And specify order code(s). | | |
| B11 inscription: english | | - € |
| Y01 measuring range | | - € |
| measuring range: 0 to ... m ³ /h specify in plain text | | |
| Y04 silicone-free materials | | 30,00 € |
| Y17 TAG plate stainless steel | | 20,00 € |