



## Electromagnetic flow sensor mag-flux A rubber liner in compact version with mag-flux M1

MAG57   -     0 -

price

### Diameter, nominal pressure, connection and connection material

• DN 100 PN 40 DIN 2501 steel	4	J	A	1.106 €
• DN 125 PN 40 DIN 2501 steel	4	K	A	1.728 €
• DN 150 PN 40 DIN 2501 steel	4	L	A	2.071 €
• DN 200 PN 40 DIN 2501 steel	4	M	A	2.525 €
• DN 250 PN 40 DIN 2501 steel	4	N	A	on request
• DN 300 PN 40 DIN 2501 steel	4	P	A	on request
• DN 350 PN 40 DIN 2501 steel	4	Q	A	on request
• DN 400 PN 40 DIN 2501 steel	4	R	A	on request
• DN 450 PN 40 DIN 2501 steel	4	Y	A	on request
• DN 500 PN 40 DIN 2501 steel	4	S	A	on request
• DN 600 PN 40 DIN 2501 steel	4	T	A	on request
• DN 15 PN 40 DIN 2501 stainless steel	4	A	B	768 €
• DN 25 PN 40 DIN 2501 stainless steel	4	C	B	901 €
• DN 32 PN 40 DIN 2501 stainless steel	4	D	B	919 €
• DN 40 PN 40 DIN 2501 stainless steel	4	E	B	910 €
• DN 50 PN 40 DIN 2501 stainless steel	4	F	B	912 €
• DN 65 PN 16 DIN 2501 stainless steel	2	G	B	955 €
• DN 80 PN 16 DIN 2501 stainless steel	2	H	B	1.050 €
• DN 100 PN 16 DIN 2501 stainless steel	2	J	B	1.133 €
• DN 125 PN 16 DIN 2501 stainless steel	2	K	B	1.264 €
• DN 150 PN 16 DIN 2501 stainless steel	2	L	B	1.334 €
• DN 200 PN 10 DIN 2501 stainless steel	1	M	B	1.882 €
• DN 250 PN 10 DIN 2501 stainless steel	1	N	B	2.140 €
• DN 300 PN 10 DIN 2501 stainless steel	1	P	B	2.427 €
• DN 350 PN 10 DIN 2501 stainless steel	1	Q	B	on request
• DN 400 PN 10 DIN 2501 stainless steel	1	R	B	on request
• DN 450 PN 10 DIN 2501 stainless steel	1	Y	B	on request
• DN 500 PN 10 DIN 2501 stainless steel	1	S	B	on request
• DN 600 PN 10 DIN 2501 stainless steel	1	T	B	on request
• 1/2" ANSI B16.5 150 RF steel	2	A	C	720 €
• 1" ANSI B16.5 150 RF steel	2	C	C	799 €
• 1 1/4" ANSI B16.5 150 RF steel	2	D	C	800 €
• 1 1/2" ANSI B16.5 150 RF steel	2	E	C	835 €
• 2" ANSI B16.5 150 RF steel	2	F	C	789 €
• 2 1/2" ANSI B16.5 150 RF steel	2	G	C	851 €
• 3" ANSI B16.5 150 RF steel	2	H	C	868 €
• 4" ANSI B16.5 150 RF steel	2	J	C	954 €
• 5" ANSI B16.5 150 RF steel	2	K	C	1.055 €
• 6" ANSI B16.5 150 RF steel	2	L	C	1.079 €
• 8" ANSI B16.5 150 RF steel	2	M	C	1.433 €
• 10" ANSI B16.5 150 RF steel	2	N	C	1.647 €
• 12" ANSI B16.5 150 RF steel	2	P	C	1.948 €
• 14" ANSI B16.5 150 RF steel	2	Q	C	3.399 €
• 16" ANSI B16.5 150 RF steel	2	R	C	4.190 €
• 18" ANSI B16.5 150 RF steel	2	Y	C	4.594 €
• 20" ANSI B16.5 150 RF steel	2	S	C	4.848 €
• 24" ANSI B16.5 150 RF steel	2	T	C	5.585 €
• other diameter, connection	9	Z	Z	on request

## Electromagnetic flow sensor mag-flux A rubber liner in compact version with mag-flux M1

MAG57   -     0 -     price

### Electrode material

• Mat. No. 1.4571	1	- €
• Hastelloy C4 (mat. No. 2.4610)	2	25 €
• Titanium	3	174 €

### Power supply

• 230 V AC, 50/60 Hz / 15 VA	1	705 €
• 115 V AC, 50/60 Hz / 15 VA	2	705 €
• 18-36 V DC	3	705 €

### Analogue output

• 4-20 mA	B	- €
• 4-20 mA with HART protocol	C	167 €

### Operating and display panel

• without	A	- €
• with	B	99 €

### Cable glands

• M16 x 1,5	1	- €
• NPT 1/2"	2	- €

### Further designs

<b>A01</b>	• grounding electrode in stainless steel 316Ti (1 piece) up to DN 300	188 €
<b>A02</b>	• grounding electrode made of mat. No. 1.4571(2 pieces) above DN 300	281 €
<b>A03</b>	• grounding electrode made of mat. No. 2.4610 (1 piece) up to DN 300	213 €
<b>A04</b>	• grounding electrode made of mat. No. 2.4610 (2 pieces) above DN 300	331 €
<b>A05</b>	• grounding electrode made of titanium (1 piece) up to DN 300	362 €
<b>A06</b>	• grounding electrode made of titanium (2 pieces) up to DN 300	629 €
<b>B06</b>	• with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h)	50 €
<b>B07</b>	• with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h)	75 €
<b>B08</b>	• with 5-point calibration certificate (up to DN700 bzw. Qmax >= 2000 m3/h)	on request
<b>B11</b>	• tag plate inscription in english	- €
<b>C12</b>	• acceptance test B to DIN50049, section 3.1 and EN10204	83 €
<b>Y01</b>	• measuring range: 0 to ... M3/h specify in plain text	- €
<b>Y04</b>	• silicone-free materials	87 €
<b>Y15</b>	• measuring-point number (max. 16 char.) specify in plain text	11 €
<b>Y16</b>	• measuring-point description (max. 27 char.) specify in plain text	11 €
<b>Y17</b>	• stainless steel tag plate	50 €