

Electromagnetic flow sensor mag-flux A rubber liner in remote version

MAG57

| | |
|--|--|
| | |
|--|--|

 -

| | | | | | | |
|--|--|--|--|--|--|---|
| | | | | | | 0 |
|--|--|--|--|--|--|---|

 -

| | | | |
|---|--|--|---|
| 0 | | | 0 |
|---|--|--|---|

 price

Design

| | | |
|-----------------|---|-------|
| • remote Design | 2 | 157 € |
|-----------------|---|-------|

Liner

| | | |
|-----------------------|---|------|
| • Hard rubber | | |
| - Standard VHE/102 | 1 | - € |
| - up to 100°C VHE/109 | 2 | 40 € |
| • Soft rubber | | |
| - Neopren BWE/502 | 5 | 67 € |

Diameter, nominal pressure, connection and connection material

| | | | |
|-------------------------------|---|-----|---------|
| • DN 200 PN 10 DIN 2501 steel | 1 | M A | 1.334 € |
| • DN 250 PN 10 DIN 2501 steel | 1 | N A | 1.527 € |
| • DN 300 PN 10 DIN 2501 steel | 1 | P A | 1.725 € |
| • DN 350 PN 10 DIN 2501 steel | 1 | Q A | 3.087 € |
| • DN 400 PN 10 DIN 2501 steel | 1 | R A | 3.720 € |
| • DN 450 PN 10 DIN 2501 steel | 1 | Y A | 3.998 € |
| • DN 500 PN 10 DIN 2501 steel | 1 | S A | 4.210 € |
| • DN 600 PN 10 DIN 2501 steel | 1 | T A | 4.813 € |
| • DN 65 PN 16 DIN 2501 steel | 2 | G A | 818 € |
| • DN 80 PN 16 DIN 2501 steel | 2 | H A | 846 € |
| • DN 100 PN 16 DIN 2501 steel | 2 | J A | 913 € |
| • DN 125 PN 16 DIN 2501 steel | 2 | K A | 975 € |
| • DN 150 PN 16 DIN 2501 steel | 2 | L A | 1.025 € |
| • DN 200 PN 16 DIN 2501 steel | 2 | M A | 1.608 € |
| • DN 250 PN 16 DIN 2501 steel | 2 | N A | 1.973 € |
| • DN 300 PN 16 DIN 2501 steel | 2 | P A | 2.486 € |
| • DN 350 PN 16 DIN 2501 steel | 2 | Q A | 3.178 € |
| • DN 400 PN 16 DIN 2501 steel | 2 | R A | 3.810 € |
| • DN 450 PN 16 DIN 2501 steel | 2 | Y A | 4.183 € |
| • DN 500 PN 16 DIN 2501 steel | 2 | S A | 4.510 € |
| • DN 600 PN 16 DIN 2501 steel | 2 | T A | 5.269 € |
| • DN 200 PN 25 DIN 2501 steel | 3 | M A | 1.741 € |
| • DN 250 PN 25 DIN 2501 steel | 3 | N A | 2.739 € |
| • DN 300 PN 25 DIN 2501 steel | 3 | P A | 3.316 € |
| • DN 350 PN 25 DIN 2501 steel | 3 | Q A | 4.134 € |
| • DN 400 PN 25 DIN 2501 steel | 3 | R A | 4.766 € |
| • DN 450 PN 25 DIN 2501 steel | 3 | Y A | 5.320 € |
| • DN 500 PN 25 DIN 2501 steel | 3 | S A | 5.766 € |
| • DN 600 PN 25 DIN 2501 steel | 3 | T A | 6.708 € |
| • DN 15 PN 40 DIN 2501 steel | 4 | A A | 720 € |
| • DN 25 PN 40 DIN 2501 steel | 4 | C A | 799 € |
| • DN 32 PN 40 DIN 2501 Stahl | 4 | D A | 800 € |
| • DN 40 PN 40 DIN 2501 steel | 4 | E A | 835 € |
| • DN 50 PN 40 DIN 2501 steel | 4 | F A | 775 € |
| • DN 65 PN 40 DIN 2501 steel | 4 | G A | 931 € |
| • DN 80 PN 40 DIN 2501 steel | 4 | H A | 846 € |

Electromagnetic flow sensor mag-flux A rubber liner in remote version

MAG57 - 0 - 0 0

price

Diameter, nominal pressure, connection and connection material

| | | | | |
|---|---|---|---|------------|
| • DN 100 PN 40 DIN 2501 steel | 4 | J | A | 1.106 € |
| • DN 125 PN 40 DIN 2501 steel | 4 | K | A | 1.728 € |
| • DN 150 PN 40 DIN 2501 steel | 4 | L | A | 2.071 € |
| • DN 200 PN 40 DIN 2501 steel | 4 | M | A | 2.525 € |
| • DN 250 PN 40 DIN 2501 steel | 4 | N | A | on request |
| • DN 300 PN 40 DIN 2501 steel | 4 | P | A | on request |
| • DN 350 PN 40 DIN 2501 steel | 4 | Q | A | on request |
| • DN 400 PN 40 DIN 2501 steel | 4 | R | A | on request |
| • DN 450 PN 40 DIN 2501 steel | 4 | Y | A | on request |
| • DN 500 PN 40 DIN 2501 steel | 4 | S | A | on request |
| • DN 600 PN 40 DIN 2501 steel | 4 | T | A | on request |
| | | | | |
| • DN 15 PN 40 DIN 2501 stainless steel | 4 | A | B | 768 € |
| • DN 25 PN 40 DIN 2501 stainless steel | 4 | C | B | 901 € |
| • DN 32 PN 40 DIN 2501 stainless steel | 4 | D | B | 919 € |
| • DN 40 PN 40 DIN 2501 stainless steel | 4 | E | B | 910 € |
| • DN 50 PN 40 DIN 2501 stainless steel | 4 | F | B | 912 € |
| | | | | |
| • DN 65 PN 16 DIN 2501 stainless steel | 2 | G | B | 955 € |
| • DN 80 PN 16 DIN 2501 stainless steel | 2 | H | B | 1.050 € |
| • DN 100 PN 16 DIN 2501 stainless steel | 2 | J | B | 1.133 € |
| • DN 125 PN 16 DIN 2501 stainless steel | 2 | K | B | 1.264 € |
| • DN 150 PN 16 DIN 2501 stainless steel | 2 | L | B | 1.334 € |
| | | | | |
| • DN 200 PN 10 DIN 2501 stainless steel | 1 | M | B | 1.882 € |
| • DN 250 PN 10 DIN 2501 stainless steel | 1 | N | B | 2.140 € |
| • DN 300 PN 10 DIN 2501 stainless steel | 1 | P | B | 2.427 € |
| • DN 350 PN 10 DIN 2501 stainless steel | 1 | Q | B | on request |
| • DN 400 PN 10 DIN 2501 stainless steel | 1 | R | B | on request |
| • DN 450 PN 10 DIN 2501 stainless steel | 1 | Y | B | on request |
| • DN 500 PN 10 DIN 2501 stainless steel | 1 | S | B | on request |
| • DN 600 PN 10 DIN 2501 stainless steel | 1 | T | B | on request |
| | | | | |
| • 1/2" ANSI B16.5 150 RF steel | 2 | A | C | 720 € |
| • 1" ANSI B16.5 150 RF steel | 2 | C | C | 799 € |
| • 1 1/4" ANSI B16.5 150 RF steel | 2 | D | C | 800 € |
| • 1 1/2" ANSI B16.5 150 RF steel | 2 | E | C | 835 € |
| • 2" ANSI B16.5 150 RF steel | 2 | F | C | 789 € |
| • 2 1/2" ANSI B16.5 150 RF steel | 2 | G | C | 851 € |
| • 3" ANSI B16.5 150 RF steel | 2 | H | C | 868 € |
| • 4" ANSI B16.5 150 RF steel | 2 | J | C | 954 € |
| • 5" ANSI B16.5 150 RF steel | 2 | K | C | 1.055 € |
| • 6" ANSI B16.5 150 RF steel | 2 | L | C | 1.079 € |
| • 8" ANSI B16.5 150 RF steel | 2 | M | C | 1.433 € |
| • 10" ANSI B16.5 150 RF steel | 2 | N | C | 1.647 € |
| • 12" ANSI B16.5 150 RF steel | 2 | P | C | 1.948 € |
| • 14" ANSI B16.5 150 RF steel | 2 | Q | C | 3.399 € |
| • 16" ANSI B16.5 150 RF steel | 2 | R | C | 4.190 € |
| • 18" ANSI B16.5 150 RF steel | 2 | Y | C | 4.594 € |
| • 20" ANSI B16.5 150 RF steel | 2 | S | C | 4.848 € |
| • 24" ANSI B16.5 150 RF steel | 2 | T | C | 5.585 € |
| | | | | |
| • other diameter, connection | 9 | Z | Z | on request |

Electromagnetic flow sensor mag-flux A rubber liner in remote version

MAG57 - 0 - 0 0 price

Electrode material

| | | |
|----------------------------------|----------|-------|
| • Mat. No. 1.4571 | 1 | - € |
| • Hastelloy C4 (mat. No. 2.4610) | 2 | 25 € |
| • Titanium | 3 | 174 € |

Cable glands

| | | |
|-------------|----------|-----|
| • M16 x 1,5 | C | - € |
| • NPT 1/2" | B | - € |

Degree of protection

| | | |
|--------------------------------------|----------|-------|
| • IP 67 / NEMA 5 | B | - € |
| • IP 68 / NEMA 6 (cable length 5 m) | C | 342 € |
| • IP 68 / NEMA 6 (cable length 10 m) | D | 378 € |

Further designs

| | | |
|------------|---|------------|
| A01 | • grounding electrode in stainless steel 316Ti (1 piece) up to DN 300 | 188 € |
| A02 | • grounding electrode made of mat. No. 1.4571(2 pieces) above DN 300 | 281 € |
| A03 | • grounding electrode made of mat. No. 2.4610 (1 piece) up to DN 300 | 213 € |
| A04 | • grounding electrode made of mat. No. 2.4610 (2 pieces) above DN 300 | 331 € |
| A05 | • grounding electrode made of titanium (1 piece) up to DN 300 | 362 € |
| A06 | • grounding electrode made of titanium (2 pieces) up to DN 300 | 629 € |
| B06 | • with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 50 € |
| B07 | • with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h) | 75 € |
| B08 | • with 5-point calibration certificate (up to DN700 bzw. Qmax >= 2000 m3/h) | on request |
| B11 | • tag plate inscription in english | - € |
| C12 | • acceptance test B to DIN50049, section 3.1 and EN10204 | 83 € |
| Y04 | • silicone-free materials | 87 € |
| Y15 | • measuring-point number (max. 16 char.) specify in plain text | 11 € |
| Y16 | • measuring-point description (max. 27 char.) specify in plain text | 11 € |
| Y17 | • stainless steel tag plate | 50 € |