

FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 -

--	--	--	--	--

 -

0	0
---	---

 price

Flow tube size

A 1	1 B	48 €
A 3	1 C	48 €
A 5	1 D	48 €
A 10	1 E	48 €
B 16	2 B	- €
B 25	2 C	- €
B 30	2 D	- €
B 40	2 E	- €
B 50	2 F	- €
B 65	2 G	- €
B 80	2 H	- €
B 100	2 J	- €

Float

W. Nr. 1.4571	B	237 €
PVDF, weighted	E	260 €
Aluminium	F	237 €
PVDF	H	260 €

Version

sheath tube stainless steel, union nut aluminium	1	- €
sheath tube stainless steel, union nut stainless steel	2	35 €

Gasket material

Viton	4	- €
EPDM	5	8 €
FFKM	8	on request

Connection Size

PVC adhesive bushing DN 15	A A	on request
PVDF welded sleeve	A B	on request

Female thread DIN ISO 228

material PVDF	C	- €
material stainless steel	D	- €
G 1/4	B	23 €
G 3/8	C	23 €
G 1/2	D	- €

Female thread NPT

material PVDF	F	- €
material stainless steel	G	- €
NPT 1/4"	B	23 €
NPT 3/8"	C	23 €
NPT 1/2"	D	23 €

hose bushing

material PVDF	H	- €
material stainless steel	J	- €
LW 10 (3/8")	B	54 €
LW 13 (1/2")	C	54 €

FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 - - price

flange connection EN 1092-1

material PVDF build length 425mm	K	216 €
material PVDF build length 500mm	L	286 €
material stainless steel build length 425mm	M	137 €
material stainless steel build length 500mm	N	184 €
DN 10 PN 40	A	20 €
DN 15 PN 40	B	- €
DN 20 PN 40	C	20 €
DN 25 PN 40	D	20 €

flange connection ASME B16.5

material PVDF build length 425mm	P	216 €
material PVDF build length 500mm	Q	216 €
material stainless steel build length 425mm	R	137 €
material stainless steel build length 500mm	S	184 €
1/2" ANSI 150 RF	B	- €
3/4" ANSI 150 RF	C	20 €
1" ANSI 150 RF	D	20 €

Further designs

With calibration certificate	B06	59 €
label in English	B11	- €
certificate 2.1 nach EN10204	C05	22 €
pressure test 2.1 EN10204	C07	64 €
certificate leak tightness EN 10204	C09	72 €
certificate material connection stainless steel	C12	94 €
ATEX certificate	C15	on request
shatter protection	S05	25 €
float buffer in stainless steel	S06	on request
Measured medium	Y01	48 €
With engraved scale (>90°C)	Y02	90 €
Special scale (1% accuracy)	Y03	52 €
Silicone-free version	Y04	74 €
water as measured medium	Y05	- €
cleaning	Y07	90 €
TAG shield	Y17	20 €
built in length 405mm (only stainless steel connection)	D01	8 €

FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 -		3								price
Flow tube size										
C 125		A								- €
C 160		B								- €
C 200		C								- €
C 250		D								- €
C 315		E								- €
C 400		F								- €
C 500		G								- €
Float										
W. Nr. 1.4571		B						0		237 €
W. Nr. 1.4571 / guided		B						2		253 €
W. Nr. 1.4571 / with magnet		B						1		263 €
W. Nr. 1.4571 / SV / guided		C						2		285 €
PVC, weighted		D						0		260 €
PVC, weighted / with magnet		D						1		286 €
PVDF, weighted		E						0		257 €
PVDF, weighted / with magnet		E						1		267 €
Aluminium		F						0		237 €
Aluminium / guided		F						2		253 €
Aluminium / with magnet		F						1		263 €
PVC		G						0		260 €
PVC / with magnet		G						1		286 €
PVDF		H						0		254 €
PVDF / with magnet		H						1		280 €
Version										
sheath tube stainless steel, union nut aluminium								1		- €
sheath tube stainless steel, union nut stainless steel								2		35 €
Gasket material										
Viton								4		- €
EPDM								5		8 €
FFKM								6		on request
Contacts										
Without contact								0		- €
Contact K17/A (closes when limit is fallen below)								1		123 €
Contact K17/B (opens when limit is fallen below)								2		123 €
2 contacts K17/A								3		246 €
2 contacts K17/B								4		246 €
1 per contact K17/A and K17/B								6		246 €
Changeover contact K33								5		248 €
Changeover contact K33 i								7		299 €

FVA Tubux M 30 - 45 - variable area meter Glass flow tube

7ME5812 -

3				
---	--	--	--	--

 -

--	--	--	--

 price

Connection Size

PVC adhesive bushing DN 15	A	A	on request
PVDF welded sleeve	A	B	on request

Female thread DIN ISO 228

material PVDF	C	- €
material stainless steel	D	- €
G 1/4	B	23 €
G 3/8	C	23 €
G 1/2	D	- €

Female thread NPT

material PVDF	F	- €
material stainless steel	G	- €
NPT 1/4"	B	23 €
NPT 3/8"	C	23 €
NPT 1/2"	D	23 €

hose bushing

material PVDF	H	- €
material stainless steel	J	- €
LW 10 (3/8")	B	54 €
LW 13 (1/2")	C	54 €

flange connection EN 1092-1

material PVDF build length 425mm	K	216 €
material PVDF build length 500mm	L	286 €
material stainless steel build length 425mm	M	137 €
material stainless steel build length 500mm	N	184 €
DN 10 PN 40	A	20 €
DN 15 PN 40	B	- €
DN 20 PN 40	C	20 €
DN 25 PN 40	D	20 €

flange connection ASME B16.5

material PVDF build length 425mm	P	216 €
material PVDF build length 500mm	Q	286 €
material stainless steel build length 425mm	R	137 €
material stainless steel build length 500mm	S	184 €
1/2" ANSI 150 RF	B	- €
3/4" ANSI 150 RF	C	20 €
1" ANSI 150 RF	D	20 €

Further designs

With calibration certificate	B06	59 €
label in English	B11	- €
certificate 2.1 nach EN10204	C05	22 €
pressure test 2.1 EN10204	C07	64 €
certificate leak tightness EN 10204	C09	72 €
certificate material connection stainless steel	C12	94 €
ATEX certificate	C15	on request
shatter protection	S05	25 €
float buffer in stainless steel	S06	on request
Measured medium	Y01	48 €
With engraved scale (>90°C)	Y02	90 €
Special scale (1% accuracy)	Y03	52 €
Silicone-free version	Y04	74 €
water as measured medium	Y05	- €
cleaning	Y07	90 €
TAG shield	Y17	20 €
built in length 405mm (only stainless steel connection)	D01	8 €

FVA Tubux M 30 - 60 - variable area meter Glass flow tube

7ME5812 - - price

Connection Size

PVC adhesive bushing DN 25	A	A	on request
PVDF welded sleeve	A	B	on request

Female thread DIN ISO 228

material PVDF	C	39 €
material stainless steel	D	- €
G 1/2	D	39 €
G 3/4	E	19 €
G 1	F	- €

Female thread NPT

material PVDF	F	39 €
material stainless steel	G	- €
NPT 1/2"	D	39 €
NPT 3/4"	E	39 €
NPT 1"	F	39 €

hose bushing

material PVDF	H	20 €
material stainless steel	J	- €
LW 13 (1/2")	C	139 €
LW 19 (3/4")	D	139 €
LW 25 (1")	E	139 €
LW 32 (1 1/4")	F	139 €
LW 38 (1 1/2")	G	139 €

flange connection EN 1092-1

material PVDF build length 425mm	K	287 €
material PVDF build length 500mm	L	372 €
material stainless steel build length 425mm	M	191 €
material stainless steel build length 500mm	N	248 €
DN 25 PN 40	D	- €
DN 32 PN 40	E	40 €
DN 40 PN 40	F	50 €
DN 50 PN 40	G	60 €

flange connection ASME B16.5

material PVDF build length 425mm	P	287 €
material PVDF build length 500mm	Q	372 €
material stainless steel build length 425mm	R	191 €
material stainless steel build length 500mm	S	248 €
1" ANSI 150 RF	D	- €
1 1/4" ANSI 150 RF	E	40 €
1 1/2" ANSI 150 RF	F	50 €
2" ANSI 150 RF	G	60 €

Further designs

With calibration certificate	B06	59 €
label in English	B11	- €
certificate 2.1 nach EN10204	C05	22 €
pressure test 2.1 EN10204	C07	64 €
certificate leak tightness EN 10204	C09	72 €
certificate material connection stainless steel	C12	94 €
ATEX certificate	C15	on request
shatter protection	S05	30 €
float buffer in stainless steel	S06	on request
Measured medium	Y01	48 €
With engraved scale (>90°C)	Y02	90 €
Special scale (1% accuracy)	Y03	52 €
Silicone-free version	Y04	74 €
water as measured medium	Y05	- €
cleaning	Y07	90 €
TAG shield	Y17	20 €

built in length 435mm (only stainless steel connection)	D01	10 €
---	-----	------

FVA Tubux M 30 - 90 - variable area meter Glass flow tube

7ME5812 - 5 - price

Flow tube size

E 4000	B								- €
E 5000	C								- €
E 6500	D								- €
E 8000	E								- €
E 10000	F								- €
E 12500	G								50 €
E 16000	H								50 €
E 20000	J								50 €
E 25000	K								50 €

Float

W. Nr. 1.4571 / guided	B					0			362 €
W. Nr. 1.4571 / with magnet	B					1			413 €
W. Nr. 1.4571 / SV / guided	C					2			407 €
PVC, weighted	D					0			399 €
PVC, weighted / with magnet	D					1			424 €
PVDF, weighted	E					0			447 €
PVDF, weighted / with magnet	E					1			472 €
Aluminium / guided	F					0			362 €
Aluminium / with magnet	F					1			413 €
PVC	G					0			360 €
PVC / with magnet	G					1			424 €
PVDF	H					0			447 €
PVDF / with magnet	H					1			472 €

Version

sheath tube stainless steel, union nut aluminium						1			- €
sheath tube stainless steel, union nut stainless steel						2			93 €

Gasket material

Viton						4			- €
EPDM						5			8 €
FFKM						6			on request

Contacts

Without contact						0			- €
Contact K17/A (closes when limit is fallen below)						1			123 €
Contact K17/B (opens when limit is fallen below)						2			123 €
2 contacts K17/A						3			246 €
2 contacts K17/B						4			246 €
1 per contact K17/A and K17/B						6			246 €
Changeover contact K33						5			248 €
Changeover contact K33 i						7			299 €

FVA Tubux M 30 - 90 - variable area meter Glass flow tube

7ME5812 - 5 - price

Connection Size

PVC adhesive bushing DN 50	A A	on request
PVDF welded sleeve	A B	on request

Female thread DIN ISO 228

material PVDF	C	90 €
material stainless steel	D	- €
G 1	F	55 €
G 1 1/4	G	55 €
G 1 1/2	H	- €
G 2	J	55 €

Female thread NPT

material PVDF	F	90 €
material stainless steel	G	- €
NPT 1"	F	55 €
NPT 1 1/4"	G	55 €
NPT 1 1/2"	H	55 €
NPT 2"	J	55 €

hose bushing

material PVDF	H	66 €
material stainless steel	J	- €
LW 10 (3/8")	E	146 €
LW 13 (1/2")	F	146 €
LW 10 (3/8")	G	96 €
LW 13 (1/2")	H	146 €

flange connection EN 1092-1

material PVDF build length 425mm	K	483 €
material PVDF build length 500mm	L	564 €
material stainless steel build length 425mm	M	271 €
material stainless steel build length 500mm	N	325 €
DN 40 PN 40	F	- €
DN 50 PN 40	G	51 €
DN 65 PN 16	H	95 €
DN 80 PN 16	J	153 €

flange connection ASME B16.5

material PVDF build length 425mm	P	483 €
material PVDF build length 500mm	Q	564 €
material stainless steel build length 425mm	R	271 €
material stainless steel build length 500mm	S	325 €
1 1/2" ANSI 150 RF	F	- €
2" ANSI 150 RF	G	51 €
2 1/2" ANSI 150 RF	H	95 €
3" ANSI 150 RF	J	153 €

Further designs

With calibration certificate	B06	59 €
label in English	B11	- €
certificate 2.1 nach EN10204	C05	22 €
pressure test 2.1 EN10204	C07	64 €
certificate leak tightness EN 10204	C09	72 €
certificate material connection stainless steel	C12	94 €
ATEX certificate	C15	on request
shatter protection	S05	35 €
float buffer in stainless steel	S06	on request
Measured medium	Y01	48 €
With engraved scale (>90°C)	Y02	90 €
Special scale (1% accuracy)	Y03	52 €
Silicone-free version	Y04	74 €
water as measured medium	Y05	- €
cleaning	Y07	90 €
TAG shield	Y17	20 €

built in length 455mm (only stainless steel connection)	D01	15 €
---	-----	------