


Electromagnetic flow sensor mag-flux A
PTFE liner, connection DIN 2501, steel flanges



Nominal pressure and diameter, connection and connection material

• DN 15 PN 40 DIN 2501 steel	4	A	A				992 €
• DN 20 PN 40 DIN 2501 steel	4	B	A				994 €
• DN 25 PN 40 DIN 2501 steel	4	C	A				1.018 €
• DN 32 PN 40 DIN 2501 Stahl	4	D	A				1.047 €
• DN 40 PN 40 DIN 2501 steel	4	E	A				1.058 €
• DN 50 PN 40 DIN 2501 steel	4	F	A				1.081 €
• DN 65 PN 40 DIN 2501 steel	4	G	A				1.268 €
• DN 80 PN 40 DIN 2501 steel	4	H	A				1.218 €
• DN 100 PN 40 DIN 2501 steel	4	J	A				1.540 €
• DN 125 PN 40 DIN 2501 steel	4	K	A				2.380 €
• DN 150 PN 40 DIN 2501 steel	4	L	A				2.577 €
• DN 200 PN 40 DIN 2501 steel	4	M	A				3.522 €
• DN 250 PN 40 DIN 2501 steel	4	N	A				5.081 €
• DN 300 PN 40 DIN 2501 steel	4	P	A				5.884 €
• DN 350 PN 40 DIN 2501 steel	4	Q	A				on request
• DN 400 PN 40 DIN 2501 steel	4	R	A				on request
• DN 450 PN 40 DIN 2501 steel	4	Y	A				on request
• DN 500 PN 40 DIN 2501 steel	4	S	A				on request
• DN 600 PN 40 DIN 2501 steel	4	T	A				on request
• other diameter, connection	9	Z	Z				on request

Electrode material

• Mat. No. 1.4571	1						- €
• Hastelloy C4 (mat. No. 2.4610)	2						25 €
• Titanium	3						174 €
• Tantalum	4						602 €
• Monel	5						55 €
• Platinum	6						on request

protection washers/protection rings

• without	0						- €
• with protection washers (order as accessory)	1						- €
• with protection rings (order as accessory)	2						- €


Cable gland entries

• M16 x 1,5					C		- €
• NPT 1/2"					B		- €

Degree of protection

• IP 67 / NEMA 5					B		- €
• IP 68 / NEMA 6 (cable length 5 m)					C		342 €
• IP 68 / NEMA 6 (cable length 5 m)					D		378 €

Electromagnetic flow sensor mag-flux A
PTFE liner, connection DIN 2501, steel flanges

MAG570 
price

Further design

A01	• earthing electrode made of mat. No. 1.4571 (1 piece) up to DN 300	188 €
A02	• earthing electrode made of mat. No. 1.4571 (2 pieces) above DN 300	281 €
A03	• earthing electrode made of mat. No. 2.4610 (1 piece) up to DN 300	214 €
A04	• earthing electrode made of mat. No. 2.4610 (2 pieces) above DN 300	335 €
B06	• with 3-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h)	50 €
B07	• with 6-point calibration certificate (up to DN600 bzw. Qmax <= 2000 m3/h)	75 €
B11	• tag plate inscription in english	- €
C12	• acceptance test B to DIN50049, section 3.1 and EN10204	83 €
Y04	• silicone-free materials	87 €
Y17	• stainless steel tag plate	50 €